

22. REFERENCES

3D Environmental, (2007). Terrestrial Flora Baseline Study – Emu Swamp Dam Project. Severn River, Queensland.

Allen, G.R., Midgley, S.H. & Allen, M., (2002). Field guide to the freshwater fishes of Australia, Western Australia Museum, WA, pp. 394pp.

Assessment of Low Frequency Noise Guideline (draft) (EPA) (2002).

Australian and New Zealand Environment and Conservation Council (ANZECC) & Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ) (2000). Australian and New Zealand Guidelines for Fresh and Marine Water Quality, National Water Quality Management Strategy.

Australian Bureau of Statistics (ABS) (2012). Australian Census 2011

Australian Government Department of Environment and Heritage (DEH) (2006). EPBC Policy statement, White Box – Yellow Box – Blakely's Red Gum grassy woodlands and derived native grasslands. Accessed online at <http://www.environment.gov.au/epbc/publications/box-gum.html>

Australian Government, Environmental Stewardship Program (2007). Fact Sheet: Box-Gum Grassy Woodland. Caring for our Country Funding Website, www.nrm.gov.au/stewardship/pubs/boxgum-factsheet.pdf

Australian National Botanic Gardens (ANBG), (2012). Information about Australia's Flora – Growing Native Plants – *Mirbelia speciosa*. Australian National Botanic Gardens and Centre for Australian National Biodiversity Research, Canberra. Accessed online on 3/9/2013 at <http://www.anbg.gov.au/gnp/interns-2005/mirbelia-speciosa.html>

Australian Pipeline Industry Association (APIA) (2013). Code of Environmental Practice, Onshore Pipes, Revision 3, May 2013.

Beadle, N.C.W., (1981). The Vegetation of Australia. Cambridge University Press, Cambridge

Bureau of Meteorology, (BOM) (2013). <http://www.bom.gov.au>, accessed September 2013.

Clay, C.H., (1995). Design of fishways and other fish facilities. Lewis Publishers: Boca Raton.

Brownlie, H., Playford, J., Wallace, H., and Shapcott, A., (2009). Population ecology and genetics of the vulnerable *Acacia attenuata* (Mimosaceae) and their significance for its conservation, recovery and translocation, Australian Journal of Botany, vol 57, pp. 675- 687

Cann, J., (1998). Australian Freshwater Turtles, Beaumont Publishing Pty Ltd, Singapore.

Department of Agriculture, Fisheries and Forestry, (DAFF) (2012). Water hyacinth, http://www.daff.qld.gov.au/4790_7386.htm, accessed September 2013.

Department of Agriculture, Fisheries and Forestry, Brisbane (DAFF) (2013). Guide for the determination of waterways using the spatial data layer Queensland waterways for waterway barrier works.

Davies, P.E., Stewardson, M.J., T.J., H., J.R., R. & M.C., T., (2012). Sustainable Rivers Audit 2: The ecological health of rivers in the Murray– Darling Basin at the end of the Millennium Drought (2008–2010), Volume 2. Prepared by The Independent Sustainable Rivers Audit Group for the Murray–Darling Basin (ISRAG).

Department of Employment, Economic Development and Innovation (DEEDI) (2012). Paradise Dam Downstream Fishway Monitoring Program Final V1.1 Report for comment February 2012 DEEDI Fisheries Queensland for Burnett Water Pty Ltd, contract dated 5 September 2007, report prepared for Burnett Water Pty Ltd.

Department of Environment and Heritage Protection (DEHP) (2009). Queensland Water Quality Guidelines, Version 3

Department of the Environment, Water, Heritage and the Arts (DEWHA) (2003). National Threatened Species and Ecological Communities Retrieved October 2010, from Information Sheet: Murray Cod; <http://www.environment.gov.au/biodiversity/threatened/publications/pubs/murraycodpdf>, accessed September 2013.

Department of Energy and Water Supply, (DEWS) (2013). Queensland's water sector: a 30-year strategy Discussion paper: Shaping our water future.

Department of Environment and Resource Management, Brisbane, (DERM) (2009). Queensland Water Quality Guidelines Version 3 September 2009.

Department of Infrastructure and Planning (DIP) (2008). Queensland's future population 2008 edition

Department of Natural Resources (DNR) (1998). Fitzroy Basin Water Allocation and Management Planning, Technical Reports. A Summary of information and analyses conducted for the WAMP process to date in the Fitzroy Basin.

Department of Natural Resources and Mines (DNRM) (2011). Vegetation Management Act regional ecosystems version 6.1, Brigalow belt and New England. State of Queensland.

Department of Natural Resources and Mines (DNRM) (2013). Essential habitat database Version 3.1. Accessed online 22/7/13 at <http://www.ehp.qld.gov.au/ecosystems/biodiversity/regional-ecosystems/maps/index.php>

Department of Natural Resources and Mines (DNRM) (2001). Queensland Australian River Assessment System (AUSRIVAS). Sampling and Processing Manual.

Department of Primary Industries, Queensland (DPI) (2000). Control of Exotic Pest Fishes: An operational strategy for Queensland freshwaters 2000-2005, Information Series QI01005.

Department of Primary Industries (DPI) (2008). Fisheries Scientific Committee Proposed Determination The *Tandanus tandanus* - Eel tailed catfish in the Murfay/Darling Basin as an endangered population, http://www.dpi.nsw.gov.au/data/assets/pdf_file/0019/238240/PDEel-tailed-catfish.pdf, accessed September 2013.

Department of Primary Industries & Fisheries Queensland (DPI&F) (2004). Fish Salvage Guidelines.

Dixon, I., Douglas, M., Dowe, J. & Burrows, D., (2006). Tropical Rapid Appraisal of Riparian Condition Version 1 (for use in tropical savannahs). River Management Technical Guideline, no. 7, Land & Water Australia, Canberra.

Donatiu, P., (2006). Stanthorpe Plateau Threatened Flora Recovery Plan 2007-2011. Report to Department of Environment and Heritage, Canberra. Toowoomba: Queensland Murray-Darling Committee.

Duncan, A., Baker G.B. & Montgomery. N., (1999). The Action Plan for Australian Bats. [Online]. Canberra: Environment Australia. Available from:
<http://www.environment.gov.au/biodiversity/threatened/publications/action/bats/index.html>.

Dwyer, P.D. (1966). Observations on *Chalinolobus dwyeri* (Chiroptera: Vespertilionidae) Australia. Journal of Mammalogy. 47:716-718.

Ecology Management, (2007). Aquatic Ecology Impact Assessment for Emu Swamp Dam. Final Report, December 2007.

Environmental Protection Policy (Water) Policy (1997).

Eyre, T.J., Kelly, A.L., and Neldner, V.J. (2011). Method for the Establishment and Survey of Reference Sites for BioCondition. Version 2.0. Department of Environment and Resource Management (DERM), Biodiversity and Ecological Sciences Unit, Brisbane.

Eyre, T.J., Kelly, A.L., Neldner, V.J., Wilson, B.A., Ferguson, D.J., Laidlaw, M.J. and Franks, A.J. (2011). BioCondition: A Condition Assessment Framework for Terrestrial Biodiversity in Queensland. Assessment Manual. Version 2.1. Department of Environment and Resource Management (DERM), Biodiversity and Ecosystem Sciences, Brisbane.

Fielder, D.P., (2010). Population ecology, ecophysiology, Phylogenetics and taxonomy of the threatened western sawshelled turtle, *Myuchelys bellii*, from the Murray-Darling Basin of Australian.

Flora Bank (1998-2000). Guidelines and Code of Practice. Accessed online at
http://www.florabank.org.au/default.asp?V_DOC_ID=755. August 2013

frc environmental, (2008). Nathan Dam and Pipelines EIS, Pipeline Flora and Fauna Pre- Wet Season Baseline Survey, report prepared for Sunwater.

Georges, A. & Thomson, S., (2010). Diversity of Australasian freshwater turtles, with an annotated synonymy and keys to species, Zootaxa 2496: 1-37.

GT Environmental Services (GTES), (2007). Soils And Land Suitability Survey of the proposed Emu Swamp Dam area and pipeline route.

GT Environmental Services (GTES), (2013). Strategic Cropping Land Assessment Emu Swamp Dam and Pipeline Route Project. Unpublished report prepared for SKM.

Hamann, M., Schauble, C.S., Limpus, D.J., S.P., E. & C.J., L., (2007). Management Plan for the conservation of *Elseya* sp. [Burnett River] in the Burnett River Catchment, Queensland Environmental Protection Agency: Brisbane.

Henderson, C., (2000). State of the Rivers – An Ecological and Physical Assessment of the Condition of Streams in the Comet, Nogoia and Mackenzie River Catchments.

Higgins, P.J., (Ed) (1999). Handbook of Australian, New Zealand and Antarctic birds, vol. 4. Oxford University Press: Melbourne

Humphries, P., (2005). Spawning time and early life history of Murray Cod, *Maccullochella peelii peelii* (Mitchell) in an Australian river, *Environmental Biology of Fishes* (2005) 72: 393-407.

Hunter, J.T., (1995). Some observations on the fire responses of two rare species in the Girraween and Bald Rock National Parks. *Queensland Naturalist* 33: 146–147.

Hunter, J.T. & D. Bell, (2006). Field baseline surveys of the threatened flora species *Boronia repanda* and *Acacia atrox*. Unpublished report to the New South Wales Department of Environment and Conservation (currently the Department of Environment and Climate Change).

Hydrobiology, (2010). Australia Pacific LNG Project: Aquatic Ecology, Water Quality and Geomorphology Impact Assessment - Gas Fields' in Australia Pacific LNG Project Environmental Impact Statement, Australia Pacific LNG Volume 5 Attachment 17.

IUCN, (2013). The IUCN Red List, http://www.iucn.org/about/work/programmes/species/our_work/the_iucn_red_list/, accessed September 2013.

Johnson D.P., (2004). State of the Rivers: Severn River and Pike Creek Catchments. An Ecological and Physical Assessment of the Condition of Streams in the Severn River and Pike Creek Catchments. Report prepared for the Qld Dept of Natural Resources and Mines.

Karr, J.R. & Schlosser, I.J., (1978). Water resources and the land-water interface, *Science* 201: 229-234.

Kearney, R.E. & Kildea, M.A., (2001). The Status of Murray cod in the Murray-Darling Basin, report prepared for Environment Australia by Applied Ecology Research Group.

Kodala and Harden (2013). *Acacia latisepala* Pedley . In PlantNET - The Plant Information Network System of The Royal Botanic Gardens and Domain Trust, Sydney, Australia. <http://plantnet.rbgsyd.nsw.gov.au>

Koehn, J.D., (2009). Multi-scale habitat selection by Murray cod *Maccullochella peelii peelii* in two lowland rivers, *Journal of Fish Biology* (2009) 75: 113-129.

Koehn, J.D. & Harrington, D.J., (2006). Environmental conditions and timing for the spawning of Murray cod (*Maccullochella peelii peelii*) and the endangered trout cod (*M. Macquariensis*) in Southeastern Australian Rivers, *River Research and Applications* 22: 327-342.

Limpus, C.J., D.J., L., Parmenter, C.J., Hodge, J., Forrest, M.J. & McLachlan, J.M., (2007). Proposal for raising Eden Bann Weir and construction of Rookwood Wier – An assessment of the potential implications and

- mitigation measures for Fitzroy Turtles (*Elseya albagula* and *Rheodytes leukops*), report prepared for Environmental Protection Agency, Queensland Government.
- Makinson, RO (2000). 'Proteaceae 2 – Grevillea', Flora of Australia, vol. 17A, pp. 1-524, ABRS/CSIRO Melbourne
- Marchant, S. & P.J. Higgins, eds. (1993). Handbook of Australian, New Zealand and Antarctic Birds. Volume 2 - Raptors to Lapwings. Melbourne, Victoria: Oxford University Press.
- McDonald, B., C. Gravatt, P. Grimshaw & J. Williams (1995). The Flora of Girraween and Bald Rock National Parks. Qld Dept of Environment and Heritage.
- Menkhorst, P. and Knight, F., (2001). A Field Guide to the Mammals of Australia. Oxford University Press: Oxford.
- Monks and Coates, (2002). The translocation of two critically endangered Acacia species. Conservation Science W. Australia 4 (3) pp 54-61
- MWH, (2010). South West Queensland Urban Water Demand Study Stanthorpe – Technical Memorandum,
- National Health and Medical Research Council (NHMRC)/National Resource Management Ministerial (NRMMC) (2011). Australian Drinking Water Guidelines Paper 6 National Water Quality Management Strategy, Commonwealth of Australia, Canberra.
- NSW Scientific Committee, (2002). White Box Yellow Box Blakely's Red Gum Woodland – endangered ecological community listing. Final Determination. Accessed on 9/9/2013 at <http://www.environment.nsw.gov.au/determinations/BoxgumWoodlandEndComListing.htm>
- Olde, PM & Marriott, NR, (1995). The Grevillea Book; Volume Three, Kangaroo Press, Kenthurst, NSW.
- Orchard, A.E. & A.J.G. Wilson, eds., (2001a). Flora of Australia, Volume 11B, Mimosaceae, Acacia Part 2. In: Flora of Australia. Canberra, ACT: ABRS & CSIRO.
- Peacock, R.J., (1996). ROTAP Species of the Walcha/Nundle and Styx River Management Area. State Forests of NSW.
- Pusey, B.J., Kennard, M. & Arthington, A., (2004). Freshwater Fishes of North-Eastern Australia, CSIRO Publishing, Collingwood, Victoria, pp. 684.
- Queensland Herbarium, (2010). Census of the Queensland Flora 2010, Brisbane, pp. 324.
- Quinn, F., J.B. Williams, C.L. Gross & J. Bruhl, (1995). Report on rare and threatened plants of north-eastern New South Wales. Armidale: University of New England.
- Rawlings, Freudenberger and Carr, (2010). A guide to managing box gum grassy woodlands. Canberra, A.C.T.: Department of the Environment, Water, Heritage and the Arts, 2010.
- Russell, D.J. & Hales, P.W., (1993). Stream Habitat and Fisheries Resources of the Johnstone River Catchment., Northern Fisheries Research Centre: Queensland Department of Primary Industries.

Schulz, M., (1998). Bats and other fauna in disused Fairy Martin *Hirundo* arial nests. *Emu*. 98:184-191.

SEWPAC, (2011). Survey Guidelines for Australia's Threatened Reptiles: Guidelines for detecting reptiles listed as threatened under the *Environment Protection and Biodiversity Act 1999*.

Sinclair Knight Merz (SKM) (2008), Emu Swamp Dam EIS prepared for Southern Downs Regional Council.

Sinclair Knight Merz (SKM) (2008), Emu Swamp Dam EIS prepared for Stanthorpe Shire Council.

Sinclair Knight Merz (SKM) (2014). Terrestrial Ecology - Field Survey Results Terrestrial Flora Report for Emu Swamp Dam, revision 2.

Stuart, I., Berghuis, A., Long, P. & Mallen-Cooper, M., (2007). Do fish locks have potential in tropical rivers?, *River Res. Applic.* 23: 269-286

T. Sargent Services, (2013). The Economic Impact of the Emu Swamp Dam, prepared for Southern Downs Regional Council

Tancred, S. & C. McGrath, (2013). Horticultural Production in Queensland's Southern Downs Region, prepared for the Economic Development Unit of the Southern Downs Regional Council, May 2013

The Council of Heads of Australasian Herbaria (CHAH) (2013). Australia's Virtual Herbarium. <http://avh.chah.org.au> . [Accessed 6/5/2013].

Threatened Species Scientific Committee (TSSC) (2006). Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee on Amendments to the List of Ecological Communities under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act). Accessed online at <http://www.environment.gov.au/biodiversity/threatened/communities/box-gum.html>

Vallee, L, Hogbin, T, Monks, L, Makinson, B, Matthes, M & Rossetto, M., (2004). Guidelines for the Translocation of Threatened Plants in Australia (2nd ed.), Australian Network for Plant Conservation, Canberra.