References

Alcorn, B and Dunn, R.1997 Moreton Sugar Mill: Sweet Heart of Nambour. B. Alcorn and R. Dunn: Maroochydore.

Alcorn, B. 1991. 'Maroochy Towns: A Study of Factors Contributing to the Formation and Growth of Towns in a Queensland District. MA Thesis, University of Queensland.

Alcorn, B. 2001. A Century of Achievements: Bli Bli State School 1901-2001.

Allen, G. R. (1989) 'Freshwater Fishes of Australia.' (T.F.H. Publications, Inc.: Brookvale, N.S.W.)

Allen, G. R. (1996) Family Melanotaeniidae, Rainbowfishes. In 'Freshwater Fishes of South-Eastern Australia'. (Ed. RM McDowell) pp. 134-140. (Reed Books: Chatswood, NSW)

Ann Wallin and Associates.1999 Cultural heritage Assessment of a Corridor Proposed for the Laying Of A Sewer Main Between Landsborough and Mooloolah. Unpublished report for John Wilson and Partners Pty Ltd.

Ann Wallin and Associates. 1999 A Predictive Assessment of Cultural Heritage for the proposed Caboolture - Maroochydore Land Use Transport Study (CAMCOS) Stage II. Unpublished report for Arup.

Anonymous.c1960 Pioneering Days. Unpublished manuscript. John Oxley Library.

Anstis, M (2002). Tadpoles of south-eastern Australia. Reed New Holland, Sydney.

ANZECC/ARMCANZ (2000) Australian and New Zealand Guidelines for Fresh and Marine Water Quality, Australian and New Zealand Environmental Conservation Council, Agriculture and Resources Management Council of Australia and New Zealand.

ARCHAEO Cultural Heritage Services 2007Review of Scoping Study Report. Unpublished report for ARUP.

ARCHAEO Cultural Heritage Services. 2003 Cultural Heritage Survey and Assessment of a Proposed Road Upgrade Landsborough to Maleny Road, Maleny. Unpublished report for Department of Main Roads.

Arthington, A. (1996) Recovery Plan for the Oxleyan Pygmy Perch, Nannoperca oxleyana. Centre for Catchment and In-stream Research Griffith University, Final Report to the Australian Nature Conservation Agency.

Arthington, A. H. and Marshall, C. J. (1993). Distribution, ecology and conservation of the honey blue-eye, Pseudomugil mellis, in south-eastern Queensland. Final Report to the Australian Nature Conservation Agency Endangered Species Program. Volume 1.

Arthington, A., Milton, D. and McKay, R. (1983) Effects of urban development and habitat alterations on the distribution and abundance of native and exotic freshwater fish in the Brisbane region, Queensland. Australian Journal of Ecology 8: 87-101.

Arup. 2006 Landsborough to Nambour Rail Corridor Study - Scoping Study Report. Unpublished report for Department of Transport and Main Roads.

Australian Heritage Council. 2007 Register of the National Estate. [Accessed online via http://www.environment.gov.au/cgibin/ahdb/search.pl].

Australian Society for Fish Biology (2001). Conservation Status of Australian Fishes - 2001, Australian Society for Fish Biology Threatened Species Committee Report.

Bentley, J. M. and C. P. Catterall (1997). The use of bushland, corridors, and linear remnants by birds in South-eastern Queensland, Australia. Conservation Biology 11: 1173-1189.

Beruldsen, G (2003). Australian birds, their nests and eggs. Phoenix Offset, China.

Birt, P. Markus, N., Collins, L. and Hall, L. (1998). 'Urban Flying-foxes.' Nature Australia. 26: 54-59.

Blake, Thom. 200. Caloundra City Council Planning Scheme Review – Interim Report Cultural Heritage Issues. Unpublished report for Caloundra City Council.

Blakers, M., Davies, S.J.J.F., and Reilly, P.N. (Eds) (1984). 'The atlas of Australian Birds'. Royal Australasian Ornithologists Union, Melbourne University Press, Melbourne.

BMT WBM (2007) Landsborough to Nambour Rail Corridor EIS - Aquatic Flora and Fauna Existing Environment. Report prepared for Arup.

Bostock, P.D and Holland, A.E (eds.) (2007) Census of the Queensland Flora. Queensland Herbarium, Queensland Environmental Protection Agency.


Bostock, P.D. and Holland, A.E. (eds.) (2007) Census of the Queensland Flora. Queensland Herbarium, Queensland Environmental Protection Agency.

Braby, MF (2000). The butterflies of Australia: their identification, biology and distribution. CSIRO Publishing, Collingwood.

Braby, MF (2004). The complete field guide to butterflies of Australia. CSIRO Publishing, Collingwood.

Brocklesby, C. 2002 A History of Rail in the Landsborough Shire. C. Brocklesby: Landsborough.

Brooks, A., Abbe, T., Cohen, T., Marsh, N., Mika, S., Boulton, A., Broderick, T., Borg, D., Rutherford, I. (2006) 'Design guideline for the reintroduction of wood into Australian streams.' Land and Water Australia, Canberra.



Buchanan Architects. 2002 North Coast Line Caboolture to Rockhampton – Section 1 Introduction History Compliance Issues. Unpublished report for Queensland Rail.

Bunn, S. E. (1998) Riparian influences on ecosystem function in the Brisbane River. In 'Moreton Bay and Catchment'. (Eds IR Tibbetts, NJ Hall and WC Dennison) pp. 131-142. (School of Marine Science, University of Queensland: Brisbane).

Bunn, S. E., Davies, P. M., Kellaway, D. M., Prosser, I. (1998) Influence of invasive macrophytes on channel morphology and hydrology in an open tropical lowland stream, and potential control by riparian shading. Freshwater Biology 39, 171-178.

Burgess, I.J. 1959 The Landsborough District. Unpublished manuscript written for the Landsborough Branch of the Queensland Country Women's Association.

Caloundra City Council 2004 Caloundra City Plan 2004. [Accessed online via www.caloundra.qld.gov.au].

Centre for Plant Biodiversity Research, Council of Heads of Australian Herbaria. (2008) Australia's Virtual Herbarium. http:// www.cpbr.gov.au/cgi-bin/avh.cgi

Chenoweth EPLA (2003). Ecological Corridors and Edge Effects project. Prepared for Brisbane City Council.

Churchill, S (1998). Australian bats. Reed New Holland, Sydney

Clout, M. (1999). 'Foraging behaviour of Glossy Black-Cockatoos,' Australian Wildlife Research 16: 467-473.

Coaldrake, JE (1962). 'The coastal sand dunes of southern Queensland.'Proceedings of the Royal Society of Queensland, 72: 101-116.

Cogger, HG (2000) Reptiles and Amphibians of Australia. Reed New Holland.

Cotterell, P., Bunn, S., Lovett, S. (1998) Fish passage in streams. Fisheries significance guidelines for design crossings. Queensland Department of Primary Industries.

Cottingham, P., Bunn, S., P., P., Lovett, S. (Eds) (2003) 'River and Riparian Land Management, Technical Guideline Update No. 3. Managing wood in streams.' (Land and Water Australia: Canberra)

Crowley, GM and Garnett, ST (2001). 'Food value and tree selection by Glossy Black-Cockatoos Calyptorhynchus lathami.' Austral Ecology, 26: 116-126.

Davies, P., Cook, B., Rutherford, K., Walshe, T. (2004) 'River and Riparian Land Management, Technical Guideline No. 5. Managing high in-stream temperatures using riparian vegetation.' Land and Water Australia, Canberra.

Debus, S (1998). The birds of prey of Australia: a field guide to Australian raptors. Oxford University Press, Melbourne.

Department of the Environment, Water, Heritage and the Arts (2008) EPBC Act Protected Matters Report. http://www.deh.gov.au/erin/ert/epbc/index.html

DEWHA (2007) Australian Wetlands Database, Australian Government (Department of Environment, Water, Heritage and the Arts) online resource.

DEWHA (2007) EPBC Act Protected Matters Report. Report for the project area generated by the Protected Matters Online Database. Australian Government Department of Environment and Water Resources. http://www.environment.gov.au/erin/ert/epbc/index.html

Department of Natural Resource and Water (2005) Mary River Basin Draft Water Resource Plan, Volume 1 (Environmental Conditions Report). Prepared by the Mary Basin Technical Advisory Panel for the Former Department of Natural Resources and Water, now Department of Environment and Resource Management.

Department of Natural Resource and Water (2008) Historical Water Quality Monitoring Data: 'Watershed' Online Resource. Queensland Government former Department of Natural Resources and Water, now Department of Environment and Resource Management. http://www.nrw.qld.gov.au/watershed

Downes, SJ, Handasyde, KA and Elgar, MA (1997). 'The use of corridors by mammals in fragmented Australian eucalypt forests.' Conservation Biology, 11: 718-725.

Duncan, A Barker, GB and Montgomery, N (1999). The action plan for Australian bats. Environment Australia, Canberra.

Eberhand, R. and Van Manen, N. (2000) State of Rivers Report - Mooloolah River and Major Tributaries. An ecological and physical assessment of the condition of streams in the Mooloolah River catchment. Queensland Department of Natural Resources and Water.

EHMP (2004) Ecosystem Health Monitoring Program 2002 - 2003, Annual Technical Reports. Southeast Queensland Healthy Waterways Partnership, Brisbane.

EHMP (2007) Ecosystem Health Monitoring Program 2005 - 2006, Annual Technical Reports. Southeast Queensland Healthy Waterways Partnership, Brisbane.

Environment Australia (2001). A Directory of Important Wetlands in Australia. Canberra, Australian Government Press.

Environmental Protection Agency (2005a). Methodology for Survey and Mapping of Regional Ecosystems and Vegetation Communities in Queensland. Version 3.1. Updated September 2005. Queensland Herbarium, Brisbane.

Environmental Protection Agency (2005b). Regional Ecosystem Mapping. Version 5.0. Maintained by Queensland Herbarium, Brisbane.

Environmental Protection Agency (2005c). Southeast Queensland Biodiversity Planning Assessment, Version 3.4. Resource Assessment Unit (Biodiversity) Planning Services Branch, Brisbane.

References

Environmental Protection Agency (2008a) Wildlife Online. http://www.epa.qld.gov.au/nature_conservation/wildlife/wildlife_online

Environmental Protection Agency (2008b). Regional Ecosystem Description Database. Maintained by Queensland Herbarium, Brisbane. http://www.epa.qld.gov.au/nature_conservation/biodiversity/regional_ecosystems

Environmental Protection Agency 2007 Queensland Heritage Register. [Accessed online via www.epa.qld.gov.au].

Eyre, T, Barrett, D and Venz, M (1997). Systematic vertebrate fauna survey project, stage 1 – vertebrate fauna survey in the SEQ bioregion. Department of Natural Resources, Brisbane.

Fairfull, S., Witheridge, G. (2003) 'Why do Fish Need to Cross the Road? Fish Passage Requirements for Waterway Crossings.' NSW Fisheries, Cronulla.

Fawns (2000) State of Rivers Report - Maroochy River and Major Tributaries. An ecological and physical assessment of the condition of streams in the Maroochy River catchment. Queensland Department of Natural Resources and Water.

Garnett, S (ed.) (1993). Threatened and extinct birds of Australia. Royal Australasian Ornithologists Union and Australian National Parks and Wildlife Service, Moonee Ponds.

Garnett, S. T., Pedler, L. P. and Crowley, G. M. (1999). 'The nesting biology of the Glossy Black-Cockatoo Calyptorhynchus lathami on Kangaroo Island.' Emu. 99 262-279.

Garnett, ST and Crowley, GM (2000). The action plan for Australian birds. Environment Australia, Canberra.

Gillespie, GR and Hero, J (1999). 'Potential impacts of introduced fish and fish translocations on Australian amphibians.' In: A Campbell (ed.), Declines and disappearances of Australian frogs. Environment Australia, Canberra. pp. 131-144.

Gillespie, GR and Hines, HB (1999). 'Status of temperate riverine frogs in southeastern Australia.' In: A Campbell (ed.), Declines and disappearances of Australian frogs. Environment Australia, Canberra. pp. 109-130.

Gilmore, A and Parnaby, H (1994). 'Vertebrate fauna of conservation concern in north-east NSW forests', North East Forests biodiversity study report No. 3e. Unpublished report prepared for NSW National Parks and Wildlife Service.

Gregory, H. 1991 Making Maroochy: A History of the Land, the People, and the Shire. Brisbane: Boolarong Publications.

Gregory's (2007) Refidex: Brisbane, Gold Coast and Sunshine Coast. Universal Publishers, Brisbane.

Harden, G.J, McDonald, W.J.F and Williams, J.B. (2006) Rainforest Trees and Shrubs: A field guide to their identification. Gwen Harden Publishing. Hariono, B Ng, J and Sutton, RH (1993). 'Lead concentrations in tissues of fruit bats (Pteropus sp.) in urban and non-urban areas.' Wildlife Research, 20: 315-320.

Higgins, PJ (ed.) (1999). Handbook of Australian, New Zealand and Antarctic birds, Vol 4, Parrots to dollarbird. Oxford University Press, Melbourne.

Hines, H, Mahony, M and McDonald, K (1999). 'An assessment of frog declines in wet subtropical Australia.' In: A Campbell (ed.), Declines and disappearances of Australian frogs. Environment Australia, Canberra. pp. 44-63.

Hume, ID, and Esson, C (1993). 'Nutrients, antinutrients and leaf selection by captive koalas (Phascolarctos cinereus).' Australian Journal of Zoology, 41: 379–392.

ICOMOS Australia. 1999 Australia ICOMOS Burra Charter, 1999. Australia ICOMOS.

Ingram, G. J. and McDonald, K. R. (1993). 'An update on the decline of Queensland's frogs.' Herpetology in Australia, 6: 297-303.

Ingram, GJ and Corben, CJ (1975). 'The frog fauna of North Stradbroke Island with comments on the 'acid' frogs of the Wallum.' Proceedings of the Royal Society of Queensland, 86: 49-54.

IUCN (1996) International Union for the Conservation of Nature Red List of Threatened Animals, (Baillie, J. and Groombridge, B. eds.). International Union for the Conservation of Nature.

John Oxley Library Newspaper Clippings 'Landsborough' 'Mooloolah' 'Eudlo' 'Palmwoods' Woombye' 'Nambour'.

John Oxley Library Photos 'Landsborough' 'Mooloolah' 'Eudlo' 'Palmwoods' 'Woombye' 'Nambour'.

Jones, R. 2008 Excerpt from Department of Main Roads Cultural Heritage Study. Pers Comm.


Kavanagh, RP, Debus, SJS, Tweedie, T and Webster, R (1995). 'Distribution of nocturnal forest birds and mammals in northeastern New South Wales: Relationships with environmental variables and management history.' Wildlife Research, 22: 359-377.

Kennard, M.J., Pusey, B.J., Arthington, A.H., (2004) Development and Application of a Predictive Model of Freshwater Fish Assemblage Composition to Evaluate River Health in Eastern Australia. Hydrobiologia 572: 33-57.

Kerr, J. 1998 1998 Triumph of Narrow Gauge: A History of Queensland Railways. Boolarong Press; Brisbane.

Kerr, J. 1998 Forest Industry Heritage Places of Study: Sawmills and Tramways. Department of the Environment: Brisbane.

Kesby J and Mcpherson, J. 1993 Mooloolah Centenary: School No. 309 Pride in Achievement.



Krebs, M. and Krebs, H. 1972 The Palmwoods Story. MandH Krebs: Palmwoods.

Law, V. 2001 Howard Street Nambour: The Cane Train Street. V.Law: Nambour.

Lawler, I. R., Foley, W. J., Eschler, B. M., Pass, D. M., and Handasyde, K. (1998). 'Intraspecific variation in Eucalyptus secondary metabolites determines food intake by folivorous marsupials.' Oecologia 116: 160–169.

Lawler, IR, Foley, WJ, and Eschler, BM (2000). 'Foliar concentration of a single toxin creates habitat patchiness for a marsupial folivore.' Ecology, 81: 1327–1338.

Leicester, M (1960). 'Some notes on the Lewin's Rail.' Emu, 60: 20-24.

Lemckert F (1999). 'Impacts of selective logging on frogs in a forested area in northern New South Wales.' Biological Conservation, 89: 321-328.

Lemckert, F and Brassil, T (2000). 'Movements and habitat use of the endangered Giant Barred River Frog (*Mixophyes iteratus*) and the implications for its conservation in timber production forests.' Biological Conservation, 96: 177-184.

Lightfoot, J. 1976 Nambour. Australia Post: Brisbane.

Limpus, C. J., Limpus, D. J., Hamann, M. (1997) 'Freshwater Turtle Populations in the Area to be Flooded by the Walla Weir, Burnett River: Baseline Study.' Queensland Department of Environment, Brisbane.

Low, T (1995). 'The animals of Brisbane: A vertebrate status review.' Unpublished report prepared for Brisbane City Council.

Loyn, RH, McNabb, EG, Volodina, L and Willig, R (2001). 'Modelling landscape distributions of large forest owls as applied to managing forests in north-east Victoria, Australia.' Biological Conservation, 97(3): 361-376.

Lundie-Jenkins, G. (1993). The diet of the Sooty Owl Tyto tenebricosa in the Blue Mountains, N. S. W. Emu 93: 124-127.

Mahony, M, Knowles, R and Pattinson, L (1996). 'The Gold-eyed Barred Frog, *Mixophyes iteratus*.' In: H Ehmann (ed.), Threatened frogs of New South Wales: Habitats, status and conservation. Frog and Tadpole Study Group of NSW, Sydney.

Marchant, S and Higgins, PJ (eds) (1993). Handbook of Australian, New Zealand and Antarctic birds, Vol 2, Raptors to lapwings. Oxford University Press, Melbourne.

Maroochy Shire Council (MSC). 2007 Maroochy Plan 2000. [Accessed online via www.maroochy.qld.gov.au].

Maroochy Shire Council (MSC). 2008 Heritage Validation Study. Unpublished study.

Maxwell, S, Burbidge, AA and Morris, K (1996). The action plan for Australian marsupials and monotremes. Wildlife Australia, Canberra.

McKay, G. 2007 Times of Change: A History of Caloundra City. Caloundra City Council: Caloundra.

Merrick, J. R., Schmida, G. E. (1984) 'Australian Freshwater Fishes: Biology and Management.' (Griffin Press Limited: Netley, South Australia).

Meyer, E, Hines, H and Hero, JM (2001). Wet forest frogs of SEQ. Griffith University, Brisbane.

Milledge, D. R., Palmer, C. L. and Nelson, J. L. (1991). Barometers of change: The distribution of large owls and gliders in Mountain Ash forests of the Victorian Central Highlands and their potential as management indicators. In. 'Conservation of Australia's Forest Fauna'. (Ed. D. Lunney). Royal Zoological Society of New South Wales, Sydney.

Moore, BD and Foley, WJ (2000). 'A review of feeding and diet selection in koalas (Phascolarctos cinereus).' Australian Journal of Zoology, 48: 317-333.

Morris, P. and Therival, R. (1995) Methods of Environmental Assessment. The natural and Built Environment, Series 2. Oxford Brookes University.

Natural Resources and Water (2006) Regional Vegetation Management Code for Southeast Queensland Bioregion 20 November 2006. Queensland.

Natural Resources and Water (2007) Policy for Vegetation Management Offsets 28 September 2007. Queensland.

Nelder, V.J, Wilson, B.A, Thompson, E.J, Dilleward, H.A. (2005) Methodology for Survey and Mapping of Regional Ecosystems and Vegetation Communities in Queensland. Version 3.1. Queensland Environmental Protection Agency.

Nelson, J. E. (1965). Movements of Australian Flying Foxes (Pteropodidae: Megachiroptera). Australian Journal of Zoology. 13: 53-73.

NPWS (2002). Threatened species of the upper north coast of New South Wales: fauna. NSW Parks and Wildlife Service, Coffs Harbour.

NPWS (2003). Threatened species of the new england tablelands and north west slopes of New South Wales. NSW Parks and Wildlife Service, Coffs Harbour.

Olsen, PD and Olsen, J (1985). 'A natural hybridization of the Brown Goshawk Accipiter fasciatus and Grey Goshawk Accipiter novaehollandiae in Australia, and a comparison of the two species.' Emu, 85: 250-257.

References

Pahl, LI, and Hume, ID (1990). 'Preferences for Eucalyptus species of the New England Tablelands and initial development of an artificial diet for Koalas.' In: AK Lee, KA Handasyde and GD Sanson (eds), Biology of the Koala. Surrey Beatty and Sons: Sydney. pp. 123–128.

Pass, DM, Foley, WJ, and Bowden, B (1998). 'Vertebrate herbivory on Eucalyptus – identification of specific feeding deterrents for common ringtail possums (Pseudocheirus peregrinus) by bioassay-guided fractionation of Eucalyptus ovata foliage.' Journal of Chemical Ecology, 24: 1513–1527.

Petrie, C. 1983 Tom Petrie's Reminiscences of Early Queensland. Sydney: Angus and Robertson.

Pizzey, G. and Knight, F. (2003). 'The Field Guide to the Birds of Australia.' HarperCollins, Sydney.

Pusey, B. J., and Kennard, M. J. (1996). Species richness and geographical variation in assemblage structure of the freshwater fish fauna of the Wet Tropics region of northern Queensland. Marine and Freshwater Research 47, 563–573.

Pusey, B., Kennard, M., and Arthington, A. (2004) Freshwater Fishes of North-Eastern Australia. CSIRO Publishing, Collingwood.

QEPA (2002) Aquatic Biodiversity Assessment and Mapping Methodology. Queensland Government Environmental Protection Agency, Brisbane.

QEPA (2007) Wildlife Online: an online wildlife database. Queensland Government Environmental Protection Agency. https://www.epa.qld.gov.au/nature_conservation/wildlife/wildlife_online/

Queensland Department of Infrastructure (QDI) (2007) Landsborough to Nambour Rail project, Draft Terms of Reference for an Environmental Impact Statement. Queensland Government.

Department of Transport and Main Roads 2008 Landsborough to Nambour Rail Corridor Website. [Accessed online via http://www.landsborough-nambour.com.au/].

Riss, E. 2007 Historic Landsborough. Landsborough Museum: Landsborough.

Sainty, G.R. and Jacobs, S.W.L. (1994) Waterplants in Australia. CSIRO Division of Water Resources and Royal Botanic Gardens, Sydney.

Sands, DPA and New, TR (2002). The action plan for Australian butterflies. Environment Australia, Canberra.

Sattler, P.S and Williams, R. (1999) The Conservation Status of Queensland's Bioregional Ecosystems. Queensland Environmental Protection Agency.

Schodde, R. and Mason, I. J. (1980). Nocturnal Birds of Australia. Lansdown Press, Melbourne.

Smith, P. (1984). Prey items of the Sooty Owl and the Barn Owl at Bega, New South Wales. Corella 8: 71-73.

Strahan, R (2000) A photographic guide to the mammals of Australia. New Holland Publishers, Sydney, Australia.

Tainton, Rev. J. 1977 Cobb's Camp Woombye: being the Early History of Woombye from the Arrival of the First Settlers in July 1877. Woombye Centenary Celebrations.

Tutt, S. 1973 Caboolture Country: Stories of the Area Once Controlled by the Caboolture Divisional Board. Caboolture: Caboolture Historical Society.

Tyler, MJ (1997). The action plan for Australian frogs. Department of Environment and Heritage, Canberra.


Wager, R. (1993) 'The Distribution and Conservation Status of Queensland Freshwater Fishes.' Department of Primary Industries, Information Series 0I93001, Brisbane.

Wager, R., Jackson, P. (1993) 'The Action Plan for Freshwater Fishes.' Queensland Department of Primary Industries, prepared for Australian Nature Conservation Agency, Brisbane.

WBM (1999) Gold Coast Waterways Freshwater Fish and Aquatic Habitat Surveys. Report prepared for Gold Coast City Council.

WBM (2005) Catchments up Close. Southeast Queensland Streams and Catchments Atlas, Report prepared for the Healthy Waterways Partnership, Brisbane.

Webster, A, Cooke, R, Jameson, G and Wallis, R (1999). 'Diet, roosts and breeding of Powerful Owls Ninox strenua in a disturbed, urban environment: A case for cannibalism? Or a case of infanticide?' Emu, 99: 80-83.



Internet Sources

http://library.sunshinecoast.qld.gov.au Accessed 10 April 2008 http://www.mainroads.qld.gov.au Accessed 13 April 2008 http://www.sunshinecoast-australia.com Accessed 13 April 2008

Australian Bureau of Statistics. 2006. Census of Population and Housing.

Australian Bureau of Statistics. 2006. Environmental issues: people's views and practices.

Publication number 4602.0.

Australian Bureau of Statistics. 2001. Census of Population and Housing.

Australian Bureau of Statistics. 2001. CDATA.

Beeton, S. 2003. An Economic Analysis of Rail Trails in Victoria, Australia.

Caloundra City Council. 2007. Local Growth Management Strategy.

Caloundra City Council, 2004. Caloundra City Plan 2004.

Colliers International. 2006. Sunshine Coast Commercial Report; Quarter 3, 2006.

Department of the Premier and Cabinet, 2005. Queensland Smart State Strategy 2005-2015.

Department of the Premier and Cabinet, 2005. Leading Smart Region Programs.

Maroochy Shire Council. 2005. Maroochy Community Profile.

Maroochy Shire Council. 2004. Maroochy 2025.

Maroochy Shire Council, 2004. Maroochy Economic Plan 2004 – 2009.

Office of Urban Management. 2005. South East Queensland Regional Plan.

Office of Urban Management. 2006. South East Queensland Infrastructure Plan and Program.

PRDnationwide Research. 2007. Railway Towns Property Watch.

Department of Transport and Main Roads. Annual Report 2005-2006.

Real Estate Institute of Queensland. 2007. Queensland Property and Lifestyle, Issue 22.

SGS Economics and Planning on behalf of Caloundra City Enterprises, 2006. Caloundra City Enterprises Economic Directions Strategy.

SGS Economics and Planning on behalf of Maroochy Shire Council, 2005. Maroochy Shire Strategic Land Needs Analysis.

SGS Economics and Planning on behalf of Sunshine Coast Regional Organisation of Councils, 2004. The Sunshine Coast Regional Economic Development Strategy.