

Appendix 15-B. Summary of details for water bores registered with DERM for region around Nathan Dam

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
129	TAROOM ABORIGINAL RESERVE	1/01/1916	Abandoned and destroyed	Sub-artesian	NA	No equipment / headworks Cylinder pump, additional power	787895	7167838	55	NA	NA	NA	Birkhead Formation	Birkhead Formation	NA	NA	NA
8445	OSCARS BORE	1/01/1946	Existing	Sub-artesian	Steel	Abandoned and destroyed	205968	7159636	56	289.56	88.4	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
8450	NA	1/01/1937	Abandoned and destroyed	Sub-artesian	NA	Abandoned but still useable	796822	7162911	55	74	NA	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
9905	ALLAMBIE HOUSE BORE	NA	useable	Sub-artesian	NA	NA	793550	7184149	55	67.1	NA	NA	Not defined	Not defined	NA	NA	NA
10421	NA	1/01/1945	Existing	Sub-artesian	Steel	Windmill and cylinder pump	780529	7161217	55	181.36	181.4	163	Birkhead Formation	Eurombah Formation	1.44	NA	NA
10422	NA	27/05/1945	Existing	Sub-artesian	Steel	Windmill and cylinder pump	784786	7162857	55	132.59	132.6	114.3	Birkhead Formation	Birkhead Formation	1.07	NA	NA
10475	NO 1 BORE	1/01/1940	Existing	Sub-artesian	Steel	Cylinder pump, additional power	789444	7182396	55	278.9	278.9	NA	Hutton Sandstone	Hutton Sandstone	NA	-73.1	7/06/1960
10480	CORNER DAM BORE	1/01/1957	Existing	Sub-artesian	Steel	Windmill and cylinder pump	786744	7157501	55	170.68	0	NA	Birkhead Formation	Not defined	NA	NA	NA
10481	NA	21/12/1939	Existing	Artesian bore, controlled flow	Steel	Windmill and cylinder pump	783089	7163199	55	99.06	99.1	NA	Birkhead Formation	Birkhead Formation	0.03	NA	NA
10592	GEORGES BORE	1/06/1956	Existing	Sub-artesian	Steel	Windmill and cylinder pump, additional power	204613	7156469	56	388.93	389	NA	Precipice Sandstone	Precipice Sandstone	1.01	NA	NA
10593	NA	NA	Abandoned and destroyed	Sub-artesian	NA	Windmill and cylinder pump, additional power	205441	7164387	56	97.54	NA	NA	Not defined	Not defined	NA	NA	NA
10594	NA	12/10/1966	Existing	Sub-artesian	Steel	Windmill and cylinder pump	214850	7172599	56	195.07	195.1	NA	Precipice Sandstone	Precipice Sandstone	0.53	NA	NA
10862	YOOROOGA 1.(HUT BORE)	1/08/1946	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	215432	7166398	56	167.64	167.6	NA	Precipice Sandstone	Precipice Sandstone	1.13	NA	NA
10863	YOOROOGA NO. 2 BORE	1/06/1946	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	210743	7164343	56	153	153	NA	Precipice Sandstone	Precipice Sandstone	2.52	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
10872	MORWONG NO 1	1/01/1946	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	204158	7172600	56	85.95	86	NA	Precipice Sandstone	Precipice Sandstone	2.02	NA	NA
10873	SPRINGVALE NO.2	1/01/1945	Abandoned and destroyed	Sub-artesian	Steel	NA	211641	7175197	56	45.72	45.7	6.2	Precipice Sandstone	Precipice Sandstone	1.52	NA	NA
10874	NA	1/01/1945	Abandoned and destroyed	Sub-artesian	Steel	NA	215767	7176761	56	65.84	65.8	47.5	Precipice Sandstone	Evergreen Formation	1.53	NA	NA
10875	SPRINGVALE NO.4	1/01/1946	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	211438	7176143	56	65	91	42.6	Precipice Sandstone	Precipice Sandstone	2.91	NA	NA
10876	NA	15/07/1948	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	209274	7175921	56	23.77	23.8	NA	Precipice Sandstone	Precipice Sandstone	2.27	NA	NA
10918	BACK BORE	1/01/1946	Existing	Sub-artesian	Steel	Windmill and cylinder pump	790464	7183762	55	324.61	140.2	NA	Hutton Sandstone	Not defined	NA	NA	NA
10985	NA	23/03/1946	Existing	Sub-artesian	Steel	Windmill and cylinder pump	786545	7171481	55	36.58	0	NA	Birkhead Formation	Hutton Sandstone	NA	NA	NA
11010	SPRINGVALE NO.1	1/01/1929	Abandoned and destroyed	Sub-artesian	NA	NA	211658	7174043	56	27.43	NA	NA	Not defined	Not defined	NA	NA	NA
11033	HOUSE BORE	20/11/1947	Abandoned and destroyed	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	206455	7169857	56	129	129	NA	Precipice Sandstone	Precipice Sandstone	5.36	NA	NA
11073	NA	12/01/1948	Abandoned and destroyed	Artesian bore, uncontrolled flow	Steel	No equipment / headworks	202857	7178019	56	73.15	73.2	NA	Precipice Sandstone	Precipice Sandstone	0.82	NA	NA
11104	NA	25/10/1947	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	203569	7162977	56	247	247	NA	Precipice Sandstone	Precipice Sandstone	7.58	12.31	29/05/1991
11306	HOUSE BORE	11/12/1948	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	201332	7158198	56	347.47	347.5	NA	Precipice Sandstone	Precipice Sandstone	4.62	NA	NA
11409	LESMORTAGH BORE	16/06/1949	Abandoned and destroyed	Artesian bore, controlled flow	Steel	Windmill and cylinder pump	800539	7167809	55	288.34	288.3	NA	Hutton Sandstone	Precipice Sandstone	NA	NA	NA
11558	KENTOR NO.1 (HOUSE)	10/11/1949	Existing	Artesian bore, controlled flow	Plastic (unspecified)	Headworks (artesian bores)	200041	7165745	56	236.22	236.2	NA	Hutton Sandstone	Hutton Sandstone	0.63	NA	NA
11764	NA	1/01/1949	Existing	Sub-artesian	NA	Windmill and cylinder pump	785349	7179702	55	0	NA	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
12238	NA	23/04/1953	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	208107	7167523	56	92.35	92.4	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
12523	MOUNTAIN Paddock FLOWING	15/09/1953	Abandoned and destroyed	Artesian bore, ceased to flow	Plastic (unspecified)	Windmill and cylinder pump	786574	7189356	55	233.78	233.8	NA	Hutton Sandstone	Precipice Sandstone	1.26	NA	NA
12717	SPRING GULLY BORE	4/08/1953	Abandoned and destroyed	Artesian bore, controlled flow	Steel	No equipment / headworks	799091	7184967	55	169.17	169	NA	Hutton Sandstone	Not defined	0.63	NA	NA
12719	BACK CREEK BORE	18/08/1953	Abandoned and destroyed	Artesian bore, controlled flow	Steel	No equipment / headworks	198327	7185408	56	86.87	86.9	NA	Evergreen Formation	Not defined	0.61	NA	NA
12882	HOUSE BORE	10/01/1955	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	199899	7161181	56	272.2	273.4	NA	Birkhead Formation	Not defined	NA	NA	NA
13073	NA	19/10/1955	Existing	Artesian bore, uncontrolled flow	Steel	Headworks (artesian bores)	784360	7156626	55	176.79	176.9	NA	Birkhead Formation	Birkhead Formation	NA	NA	NA
13438	IRRIGATION DAM BORE	21/10/1957	Existing	Artesian bore, uncontrolled flow	Steel	NA	801704	7183409	55	91.44	91.5	NA	Evergreen Formation	Not defined	0.51	NA	NA
13585	LITTLE BORE	31/10/1957	Abandoned and destroyed	Artesian bore, controlled flow	Steel	NA	198483	7183676	56	41.45	41.4	NA	Evergreen Formation	Precipice Sandstone	NA	NA	NA
13791	BLACKBOY SWF JOB2220	28/04/1959	Existing	Sub-artesian	Steel	Windmill and cylinder pump	792462	7161808	55	182.9	183	157.8	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14182	NA	1/01/1953	Existing	Sub-artesian	Steel	NA	784112	7171492	55	73.15	0	NA	Birkhead Formation	Hutton Sandstone	NA	NA	NA
14183	NA	1/01/1953	Existing	Sub-artesian	Steel	NA	779527	7172494	55	97.5	0	NA	Birkhead Formation	Birkhead Formation	NA	NA	NA
14184	NA	1/01/1952	Existing	Sub-artesian	Steel	NA	779928	7189365	55	98.15	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14186	NA	1/01/1945	Existing	Sub-artesian	Steel	NA	781950	7186012	55	72.55	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14187	NA	1/01/1942	Existing	Sub-artesian	Steel	NA	785292	7185596	55	51.8	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14188	HOUSE BORE	1/10/1944	Existing	Sub-artesian	Steel	Cylinder pump, additional power	785881	7184673	55	45.1	45.1	NA	Hutton Sandstone	Hutton Sandstone	NA	-11.58	1/10/1944
14351	MIDDLE BORE	29/08/1958	Existing	Sub-artesian	Steel	Windmill and cylinder pump	788444	7186260	55	40.84	40.8	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14530	NA	1/01/1954	Abandoned and destroyed	Sub-artesian	Steel	Windmill and cylinder pump	792798	7161249	55	36.5	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14531	NA	7/07/1954	Existing	Sub-artesian	Steel	Windmill and cylinder pump	795698	7160155	55	137.47	137.5	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14552	BLACK BOY CREEK	18/11/1944	Existing	Sub-artesian	Steel	Helical screw	794039	7156182	55	69.19	69.2	NA	Birkhead Formation	Hutton Sandstone	0.6	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
14553	BOXVALE NO 3	8/08/1940	Existing	Sub-artesian	Steel	Cylinder pump, additional power Windmill and cylinder pump	785399	7158880	55	160.02	160	144.8	Birkhead Formation	Eurombah Formation	1.2	-22.6	28/07/1974
14561	WOOLSHED BORE	1/01/1954	Existing	Sub-artesian	Steel	Windmill and cylinder pump	786645	7162278	55	173.7	173.7	NA	Birkhead Formation	Hutton Sandstone	NA	NA	NA
14562	THE BRAE	1/09/1953	Existing	Sub-artesian	Steel	Windmill and cylinder pump	783360	7161860	55	285	285.1	NA	Birkhead Formation	Hutton Sandstone	2.52	NA	NA
14582	NA	1/01/1960	Existing	Sub-artesian	Steel	additional power Windmill and cylinder pump	219078	7171674	56	170.7	0	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
14583	NA	1/01/1960	Existing	Sub-artesian	Steel	additional power Windmill and cylinder pump	221661	7172054	56	61	0	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
14584	NA	1/01/1960	Existing	Sub-artesian	Steel	additional power Centrifugal pump	222074	7170622	56	76.2	0	NA	Precipice Sandstone	Precipice Sandstone	NA	-9.1	1/01/1960
14597	NO.1 BORE	6/09/1957	Existing	Sub-artesian	Steel	Centrifugal pump	201437	7184238	56	180.75	180.7	NA	Precipice Sandstone	Precipice Sandstone	7.6	-2.78	21/01/1997
14599	WINDMILL BORE	1/01/1925	Abandoned and destroyed	Sub-artesian	Steel	Centrifugal pump and cylinder pump	209455	7155293	56	45.7	45.7	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
14609	PINE HILL BORE	1/01/1954	Existing	Sub-artesian	Steel	Windmill and cylinder pump	800043	7159703	55	349.91	350	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14610	TONYS BORE	1/03/1961	Existing	Sub-artesian	Steel	Windmill and cylinder pump	201337	7157973	56	64	64	NA	Not defined	Not defined	NA	NA	NA
14616	NA	1/12/1960	Existing	Sub-artesian	Steel	Windmill and cylinder pump	797015	7163838	55	88.4	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14749	NO.2 BORE	1/01/1957	Existing	Sub-artesian	Steel	Windmill and cylinder pump	200211	7188501	56	47.24	47.2	NA	Precipice Sandstone	Precipice Sandstone	4.9	-22.1	21/01/1997
14750	NO.3 BORE	1/01/1967	Existing	Sub-artesian	Steel	Centrifugal pump	199492	7186781	56	85.95	86	NA	Precipice Sandstone	Precipice Sandstone	2.6	-3.33	21/01/1997
14871	GLENELLA BORE	8/12/1961	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	797545	7180974	55	238.66	238.7	NA	Hutton Sandstone	Precipice Sandstone	NA	NA	NA
14884	DUD BORE	1/01/1955	Abandoned and destroyed	Sub-artesian	Steel	NA	793907	7180457	55	274.3	274.3	NA	Hutton Sandstone	Precipice Sandstone	NA	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
14885	ABANDONED	NA	Abandoned and destroyed	Sub-artesian	Steel	NA	794002	7174752	55	152.4	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14886	SCRUBBY CREEK BORE	1/01/1936	Abandoned and destroyed	Sub-artesian	Steel	NA	795163	7176213	55	109.7	109	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14887	6 MILE BORE	1/01/1918	Existing	Sub-artesian	Steel	Windmill and cylinder pump	790699	7180044	55	129.5	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
14963	VICKERYS BORE	8/02/1962	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	198795	7181789	56	133.2	133.2	NA	Precipice Sandstone	Precipice Sandstone	3.16	NA	NA
14970	TAROOM SALEYARDS BOR	23/02/1962	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	783308	7158298	55	297.18	297.2	284	Birkhead Formation	Hutton Sandstone	NA	NA	NA
14998	NA	7/04/1962	Existing	Sub-artesian	Steel	Windmill and cylinder pump	203224	7184891	56	121.92	122	NA	Precipice Sandstone	Precipice Sandstone	1.14	-26.45	21/01/1997
15044	SHEEP STATION BORE	21/05/1953	Abandoned and destroyed	Sub-artesian	Steel	Windmill and cylinder pump	798650	7156665	55	123.44	0	NA	Hutton Sandstone	Hutton Sandstone	0.4	NA	NA
15053	LES & PATS BORE	11/05/1962	Existing	Sub-artesian	Steel	Windmill and cylinder pump	199084	7158229	56	52.12	52.1	NA	Hutton Sandstone	Hutton Sandstone	1.6	NA	NA
15417	CHEYENESE BORE	19/09/1962	Existing	Sub-artesian	Steel	Cylinder pump, additional power	219643	7159085	56	190.5	189.6	183.5	Evergreen Formation	Evergreen Formation	NA	NA	NA
15535	MARTINS OR BLACK POL	22/06/1963	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	198328	7185392	56	60.96	61	40.5	Evergreen Formation	Precipice Sandstone	1.13	NA	NA
15580	LESTERS BORE	1/08/1963	Existing	Sub-artesian	Steel	Windmill and cylinder pump	201543	7156215	56	128.02	128	NA	Precipice Sandstone	Hutton Sandstone	0.76	NA	NA
15590	NA	31/08/1963	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	203627	7169116	56	274.32	274.3	NA	Precipice Sandstone	Precipice Sandstone	0.95	NA	NA
15598	HOMESTEAD BORE	21/06/1963	Existing	Sub-artesian	Steel	Helical screw	792923	7154957	55	119.18	119.2	NA	Birkhead Formation	Hutton Sandstone	NA	-50.29	21/06/1963
15729	NA	22/01/1964	Existing	Sub-artesian	Steel	No equipment / headworks	782651	7189871	55	49.38	49.7	NA	Hutton Sandstone	Hutton Sandstone	1.4	NA	NA
15770	NA	1/01/1964	Abandoned and destroyed	Sub-artesian	Steel	No equipment / headworks	794112	7166636	55	91.44	91.5	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
15771	NA	1/02/1964	Abandoned and destroyed	Sub-artesian	Steel	No equipment / headworks	798167	7162354	55	79.25	51.82	NA	Hutton Sandstone	Evergreen Formation	0.44	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
15776	NA	10/11/1963	Existing	Sub-artesian	Steel	Cylinder pump, additional power	789739	7161514	55	152.4	152.4	NA	Birkhead Formation	Hutton Sandstone	NA	NA	NA
15777	NA	21/11/1963	Abandoned and destroyed	Sub-artesian	Steel	Cylinder pump, additional power	792548	7161482	55	79.3	79.3	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
15778	NA	23/11/1963	Abandoned and destroyed	Sub-artesian	Steel	Cylinder pump, additional power	794181	7159679	55	79.3	0	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
16270	COOKS PADDOCK BORE	1/01/1964	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	210395	7169343	56	158.5	158.6	NA	Evergreen Formation	Precipice Sandstone	4.84	NA	NA
16320	NA	1/01/1958	Abandoned but still useable	Sub-artesian	Steel	Windmill and cylinder pump	221152	7166753	56	131	131.1	109	Not defined	Not defined	NA	NA	NA
16405	DRAFTING CORNER BORE	23/10/1964	Existing	Sub-artesian	Steel	No equipment / headworks	781221	7188348	55	213.36	0	NA	Hutton Sandstone	Evergreen Formation	NA	NA	NA
16406	MIDDLE BORE	1/01/1964	Abandoned and destroyed	Sub-artesian	NA	No equipment / headworks	784800	7186642	55	259.08	NA	NA	Hutton Sandstone	Not defined	NA	NA	NA
16686	DUDLEYS BORE	24/04/1966	Existing	Sub-artesian	Steel	Windmill and cylinder pump	210416	7157633	56	320.04	320	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
16696	STRATHEDEN BORE	6/04/1966	Existing	Artesian bore, controlled flow	Steel	Submersible Headworks (artesian bores)	780628	7158294	55	178.31	178.4	NA	Birkhead Formation	Birkhead Formation	NA	0	6/04/1966
16872	HARRIS BORE	29/07/1966	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	202595	7171770	56	181.1	181.1	170.7	Evergreen Formation	Precipice Sandstone	7.58	NA	NA
17032	NA	3/08/1966	Abandoned and destroyed	Sub-artesian	Steel	Windmill and cylinder pump	214012	7170229	56	182.27	182.3	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
17070	NA	18/01/1967	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	796612	7167654	55	323	322.8	310.8	Hutton Sandstone	Precipice Sandstone	3.33	34.2	5/03/1976
17690	NA	18/12/1967	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	800366	7167511	55	286.6	286.5	NA	Hutton Sandstone	Precipice Sandstone	NA	NA	NA
17776	NA	15/09/1968	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	797849	7162868	55	425.2	425.2	422	Hutton Sandstone	Precipice Sandstone	1.52	NA	NA
17796	BULLOCK GULLY BORE	1/01/1959	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	203488	7166641	56	243.85	243.85	NA	Hutton Sandstone	Precipice Sandstone	NA	32.38	17/07/1996
17849	LIME TREE BORE	7/07/1968	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	214502	7160175	56	202.69	202.7	NA	Evergreen Formation	Precipice Sandstone	NA	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
17866	NA	18/06/1966	Existing	Sub-artesian	Steel	No equipment / headworks	786366	7185786	55	34.14	34.1	NA	Hutton Sandstone	Hutton Sandstone	1.3	NA	NA
18120	NA	14/07/1968	Existing	Sub-artesian	Steel	Windmill and cylinder pump	209657	7174092	56	134.42	134.5	NA	Precipice Sandstone	Precipice Sandstone	4.55	-2.75	24/01/1997
18172	NA	17/09/1968	Existing	Sub-artesian	Steel	Windmill and cylinder pump	218348	7167336	56	217.02	217	NA	Precipice Sandstone	Precipice Sandstone	0.78	NA	NA
18173	HEIFER PADDOCK NO.1	26/12/1968	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	211683	7162082	56	210.31	210.3	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
18195	NA	12/03/1969	Existing	Sub-artesian	Steel	Windmill and cylinder pump	218601	7163051	56	231.65	231.6	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
18279	NA UKA	21/09/1968	Existing	Sub-artesian	Steel	Turbine	222273	7156519	56	72.23	72.2	NA	Precipice Sandstone	Precipice Sandstone	6.3	NA	NA
22168	COCKATOO CREEK 1	8/04/1963	Abandoned and destroyed	Artesian bore, controlled flow	NA	No equipment / headworks	209098	7169412	56	3682.6	NA	NA	Evergreen Formation	Not defined	NA	NA	NA
26027	GREEN GULLY BORE	1/11/1963	Abandoned and destroyed	Sub-artesian	Steel	Windmill and cylinder pump	790800	7158145	55	103.6	0	NA	Not defined	Not defined	NA	NA	NA
26059	NA	1/11/1963	Existing	Sub-artesian	Steel	Helical screw	786402	7157502	55	183	182.6	168	Hutton Sandstone	Eurombah Formation	1.52	NA	NA
26074	NA	1/11/1963	Existing	Sub-artesian	Steel	Windmill and cylinder pump	784808	7156665	55	182.88	182	179.8	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
26081	3 MILE BORE	28/05/1963	Existing	Sub-artesian	Steel	Cylinder pump, additional power	220635	7156477	56	11.2	0	NA	Not defined	Not defined	NA	NA	NA
26119	NA	1/01/1962	Existing	Sub-artesian	Steel	Helical screw	794412	7156000	55	80.5	80.5	NA	Not defined	Not defined	NA	NA	NA
26373	BOTTOM BLUTCHERS	1/01/1964	Existing	Sub-artesian	Steel	Windmill and cylinder pump	779555	7184166	55	115.8	0	NA	Not defined	Not defined	NA	NA	NA
30318	NA	21/10/1968	Existing	Sub-artesian	Steel	Windmill and cylinder pump	214816	7175399	56	88.08	88.1	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
30344	BACK CREEK NO 2 BORE	1/01/1900	Existing	Sub-artesian	Steel	Cylinder pump, additional power	800174	7189235	55	NA	0	NA	Evergreen Formation	Not defined	NA	NA	NA
30345	LONG GULLY BORE	1/01/1900	Existing	Sub-artesian	Steel	Cylinder pump, additional power	798167	7187811	55	NA	24.08	NA	Hutton Sandstone	Not defined	NA	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
30484	NA	31/07/1968	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	211644	7175173	56	81.38	81.4	NA	Precipice Sandstone	Precipice Sandstone	6.19	NA	NA
30506	NA	18/11/1968	Existing	Sub-artesian	Steel	Windmill and cylinder pump, additional power	215516	7177339	56	134.41	134.1	115.8	Precipice Sandstone	Precipice Sandstone	1.26	NA	NA
30507	NA	30/11/1968	Existing	Sub-artesian	Steel	Centrifugal pump	212831	7177865	56	70.71	70.9	NA	Precipice Sandstone	Precipice Sandstone	2.91	-0.53	23/01/1997
30884	HOUSE BORE	22/02/1969	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	213073	7164189	56	192.03	192	NA	Precipice Sandstone	Precipice Sandstone	3.45	NA	NA
31409	HOUSE BORE TAROOM	9/12/1975	Existing	Sub-artesian	Steel	Helical screw	215532	7174101	56	159.38	157.9	NA	Precipice Sandstone	Precipice Sandstone	12	NA	NA
32735	TOWN BORE	17/10/1969	Existing	Artesian bore, controlled flow	Steel	Turbine	781496	7160645	55	784.56	784.5	696	Birkhead Formation	Precipice Sandstone	24.46	NA	NA
33547	SHEAS GULLY	18/11/1971	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	200654	7160129	56	311.5	311.5	NA	Precipice Sandstone	Precipice Sandstone	3.19	NA	NA
35256	GLEBE CAMP BORE	16/04/1970	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	201329	7182509	56	140.21	139	82.3	Precipice Sandstone	Precipice Sandstone	32.35	NA	NA
35740	GLEBE WEIR NO.2 BORE	6/07/1970	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	201795	7180396	56	76.2	76.2	NA	Precipice Sandstone	Precipice Sandstone	1.81	NA	NA
35912	NA	3/09/1970	Existing	Sub-artesian	Steel	NA	204400	7176047	56	167.64	167.7	100.5	Precipice Sandstone	Precipice Sandstone	1.5	-8.47	31/07/1996
36120	NA MOUNTAIN Paddock	6/12/1970	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	205868	7162989	56	222.5	222.5	NA	Precipice Sandstone	Precipice Sandstone	1.26	NA	NA
36396	BORE	1/01/1941	Existing	Sub-artesian	Steel	Windmill and cylinder pump	790971	7187721	55	93	92.9	79.2	Hutton Sandstone	Hutton Sandstone	0.26	NA	NA
37201	SCHOOL BORE NO 2	14/10/1971	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	798670	7185070	55	174.96	174.96	NA	Evergreen Formation	Precipice Sandstone	2.74	NA	NA
37878	CREEK BORE	18/04/1972	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	199037	7158658	56	350.22	350.22	NA	Hutton Sandstone	Precipice Sandstone	6.8	NA	NA
38156	NA	16/08/1972	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	213950	7166483	56	193	192.9	NA	Precipice Sandstone	Precipice Sandstone	4.64	NA	NA
44317	NA	21/01/1974	Existing	Sub-artesian	Steel	Cylinder pump, additional power	211566	7171508	56	172.82	172.9	NA	Precipice Sandstone	Precipice Sandstone	1.3	-35.53	24/01/1997
47325	NEW BORE	7/08/1976	Existing	Sub-artesian	Steel	Helical screw	216433	7164477	56	198	198	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
47329	MEAT ANT BORE	1/01/1963	Existing	Sub-artesian	Steel	NA	223276	7160827	56	137.16	0	NA	Precipice Sandstone	Evergreen Formation	1.52	NA	NA
47330	HOUSE BORE	28/05/1963	Existing	Sub-artesian	Steel	NA	216332	7155989	56	15.54	15.5	14.8	Cockatoo Creek Alluvium	Cockatoo Creek Alluvium	NA	-12.2	28/05/1963
47670	TELEGRAPH PLAINS	24/03/1978	Existing	Artesian bore, ceased to flow	Steel	NA	784486	7158188	55	163	163	NA	Birkhead Formation	Eurombah Formation	NA	NA	NA
47954	NA	19/04/1949	Existing	Sub-artesian	Steel	Windmill and cylinder pump	790181	7162554	55	309.37	309.4	NA	Precipice Sandstone	Precipice Sandstone	NA	-29.21	27/01/1997
57615	NA	3/11/1982	Existing	Sub-artesian	Plastic (unspecified)	NA	213978	7178706	56	72	51	NA	Precipice Sandstone	Precipice Sandstone	NA	-5.01	23/01/1997
57781	NA	29/11/1982	Existing	Sub-artesian	Steel	NA	216541	7171439	56	179.83	179.8	NA	Precipice Sandstone	Precipice Sandstone	1261.98	NA	NA
57790	DONS BORE	27/10/1980	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	199548	7155802	56	366	366	NA	Precipice Sandstone	Precipice Sandstone	3.8	NA	NA
57843	Paddock BORE	14/10/1980	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	199195	7175050	56	181.8	182	NA	Evergreen Formation	Not defined	6.02	NA	NA
57844	HOUSE BORE	15/10/1980	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	199030	7177660	56	155.4	155.4	NA	Precipice Sandstone	Precipice Sandstone	6.94	NA	NA
58951	HUT GULLY BORE	12/03/2003	Existing	Artesian bore, controlled flow	Steel	NA	798275	7154798	55	434	431	386	Precipice Sandstone	Precipice Sandstone	12.2	NA	NA
62006	HOMESTEAD BORE	1/01/1958	Existing	Sub-artesian	Steel	Cylinder pump, additional power	206514	7186219	56	81.1	0	NA	Not defined	Not defined	NA	NA	NA
62007	SPRING CREEK BORE	1/01/1946	Existing	Sub-artesian	Steel	Cylinder pump, additional power	205427	7187604	56	77.7	0	NA	Not defined	Not defined	NA	NA	NA
62008	CABLES CREEK BORE	1/01/1946	Existing	Sub-artesian	Steel	Cylinder pump, additional power	209083	7189488	56	182.9	0	NA	Not defined	Not defined	NA	NA	NA
62213	NA	31/12/1981	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	798478	7156700	55	405.5	405.5	NA	Precipice Sandstone	Precipice Sandstone	2.22	NA	NA
62308	NA	26/11/1982	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	794506	7159779	55	471	471	427	Hutton Sandstone	Precipice Sandstone	NA	NA	NA
62877	NA	28/05/1985	Existing	Sub-artesian	Steel	Helical screw	219977	7163666	56	217	217	NA	Precipice Sandstone	Precipice Sandstone	0.68	NA	NA
67260	4 MILE BORE	8/11/1985	Existing	Sub-artesian	Plastic (unspecified)	Windmill and cylinder pump	784776	7184929	55	68	68	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
67273	THE WELL	1/01/1915	Existing	Sub-artesian	Timber lining for wells	NA	797342	7182402	55	4.6	4.6	NA	Not defined	Not defined	NA	NA	NA
67274	NA	12/10/1985	Existing	Sub-artesian	Standard screwed swelled galvanised	NA	788577	7186491	55	45	45	NA	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
67280	NA	21/03/1986	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	208817	7178918	56	70	70	NA	Precipice Sandstone	Precipice Sandstone	4.17	NA	NA
67281	NA	28/02/1986	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	210769	7177733	56	80	80	NA	Precipice Sandstone	Precipice Sandstone	4.42	NA	NA
67300	NA	29/05/1986	Abandoned and destroyed	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	208478	7177187	56	45.5	45.5	NA	Precipice Sandstone	Precipice Sandstone	2.64	NA	NA
67410	NA	9/12/1986	Existing	Sub-artesian	Steel	NA	214015	7170090	56	182	182	NA	Precipice Sandstone	Precipice Sandstone	2.52	-23.7	22/01/1997
67624	NA	23/07/1987	Existing	Sub-artesian	Steel	NA	223612	7172223	56	86	86	NA	Precipice Sandstone	Precipice Sandstone	0.39	NA	NA
67625	NA	4/08/1987	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	210828	7167699	56	164	164	NA	Precipice Sandstone	Precipice Sandstone	6.28	NA	NA
84032	NA	18/04/1988	Existing	Artesian bore, controlled flow	Steel	Headworks (artesian bores)	214049	7161814	56	224.08	224	NA	Precipice Sandstone	Precipice Sandstone	8.47	NA	NA
88445	CREEK PADDOCK BORE	11/03/1992	Existing	Sub-artesian	PVC	NA	786873	7187850	55	24.6	24.6	15.2	Hutton Sandstone	Hutton Sandstone	3	NA	NA
88465	NA	15/08/1991	Existing	Sub-artesian	Plastic (unspecified)	NA	782289	7172378	55	35	35	16.7	Hutton Sandstone	Hutton Sandstone	4.55	NA	NA
88466	NA	1/11/1991	Existing	Sub-artesian	Plastic (unspecified)	NA	783827	7175295	55	53.3	53.3	41.1	Hutton Sandstone	Hutton Sandstone	NA	NA	NA
89500	NA	29/07/1990	Existing	Sub-artesian	Steel	NA	221735	7172452	56	306	306	NA	Not defined	Precipice Sandstone	0.27	NA	NA
89504	NO.1 BORE	14/09/1990	Existing	Sub-artesian	Plastic (unspecified)	NA	220955	7166642	56	216	216	134	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
89510	NO.3 BORE	8/10/1990	Existing	Sub-artesian	Plastic (unspecified)	NA	221313	7166896	56	216	216	151	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
89517	NA	24/03/1991	Existing	Sub-artesian	Steel	NA	206007	7186299	56	108	108	NA	Precipice Sandstone	Precipice Sandstone	5.5	NA	NA
89540	NA	18/10/1991	Existing	Sub-artesian	Plastic (unspecified)	NA	221758	7171926	56	66	66	NA	Precipice Sandstone	Precipice Sandstone	4.5	NA	NA
89541	NA	22/07/1992	Existing	Artesian bore, controlled flow	Steel	NA	790540	7163694	55	603.5	603.5	538	Birkhead Formation	Precipice Sandstone	11.14	NA	NA
89551	NA	11/12/1992	Existing	Sub-artesian	Plastic (unspecified)	NA	786832	7189571	55	43.5	43.5	34.4	Hutton Sandstone	Hutton Sandstone	1.5	NA	NA
89561	NA	16/04/1993	Existing	Sub-artesian	Steel	NA	205161	7183562	56	111	111	86	Precipice Sandstone	Precipice Sandstone	5.68	-26.2	21/01/1997

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
89562	HOUSE BORE DEEPENED	15/06/1993	Abandoned and destroyed	Artesian bore, controlled flow	Steel	NA	797265	7174595	55	279	279	266	Precipice Sandstone	Precipice Sandstone	17.8	NA	NA
89566	22/04/93	14/08/1991	Existing	Sub-artesian	Plastic (unspecified)	NA	779960	7174761	55	85.3	85.3	21.9	Hutton Sandstone	Sandstone	3	NA	NA
89599	MIM BORE	NA	Existing	Sub-artesian	Steel	NA	218824	7154962	56	0	277	NA	Not defined	Not defined	NA	NA	NA
89602	NA	25/02/1993	Existing	Sub-artesian	Plastic (unspecified)	NA	782275	7170239	55	41.5	41.5	23.7	Birkhead Formation	Birkhead Formation	12.6	NA	NA
89608	REPLACES RN 11033	5/05/1994	Existing	Artesian bore, controlled flow	Plastic (unspecified)	NA	206367	7169644	56	140.21	140.2	NA	Precipice Sandstone	Precipice Sandstone	1.26	NA	NA
89611	NA	2/06/1994	Existing	Artesian bore, ceased to flow	Plastic (unspecified)	NA	784650	7157691	55	176.78	176.8	NA	Birkhead Formation	Birkhead Formation	0.06	NA	NA
89627	13030800 (SAME BORE)	30/10/1994	Existing	Sub-artesian	NA Plastic (unspecified)	NA	207970	7183403	56	0	NA	NA	Not defined	Not defined	NA	NA	NA
89643	NA	17/10/1995	Existing	Sub-artesian	Plastic (unspecified)	NA	787601	7190514	55	36.58	36.6	7.6	Hutton Sandstone	Sandstone	0.25	NA	NA
89670	DENNIES BORE(2)	12/02/1998	Existing	Sub-artesian	PVC Plastic (unspecified)	NA	781986	7186207	55	71.93	71.93	22.86	Hutton Sandstone	Sandstone	1.9	NA	NA
89691	NA	4/08/2000	Existing	Sub-artesian	PVC Plastic (unspecified)	NA	786394	7157541	55	168	166	150	Hutton Sandstone	Sandstone	3.9	NA	NA
89694	NA	15/12/2000	Existing	Artesian bore, controlled flow	Steel	NA	207836	7175739	56	120	120	NA	Precipice Sandstone	Precipice Sandstone	1.9	NA	NA
89695	NA	14/12/2000	Existing	Artesian bore, controlled flow	Plastic (unspecified)	NA	205022	7177889	56	72	72	NA	Precipice Sandstone	Precipice Sandstone	43.5	NA	NA
89724	NA	22/09/2001	Existing	Sub-artesian	PVC	NA	221115	7175784	56	89	89	65	Precipice Sandstone	Precipice Sandstone	8.3	NA	NA
89763	NA	7/10/2001	Existing	Sub-artesian	PVC	NA	221730	7172240	56	96	89.5	60	Precipice Sandstone	Precipice Sandstone	5.1	NA	NA
89764	NA	3/10/2001	Existing	Sub-artesian	PVC	NA	222387	7168896	56	110	110	89	Precipice Sandstone	Precipice Sandstone	7.2	NA	NA
89775	NA	13/10/2001	Existing	Sub-artesian	Plastic (unspecified)	NA	218317	7177546	56	108	107	78	Precipice Sandstone	Precipice Sandstone	6.26	NA	NA
89829	NA	23/09/2002	Existing	Sub-artesian	Steel	NA	793603	7184076	55	369	366.5	312	Hutton Sandstone	Sandstone	13.2	NA	NA
89830	NA	23/07/2002	Existing	Sub-artesian	Plastic (unspecified)	NA	789727	7188004	55	90	90	66	Hutton Sandstone	Sandstone	5.61	NA	NA
89853	NA	2/07/2006	Existing	Sub-artesian	Steel	NA	217600	7173287	56	207	207	143	Evergreen Formation	Evergreen Formation	6.3	NA	NA
89854	NA	20/06/2006	Existing	Sub-artesian	Steel	NA	212551	7171290	56	198	198	NA	Evergreen Formation	Evergreen Formation	12.62	NA	NA
89855	NA	25/06/2006	Existing	Sub-artesian	Steel	NA	220116	7172046	56	164	164	120	Evergreen Formation	Evergreen Formation	1.89	NA	NA
89865	TEN MILE BORE	6/03/2003	Existing	Sub-artesian	PVC	NA	789176	7179565	55	168	161.5	126	Hutton Sandstone	Sandstone	2.5	-56.9	6/03/2003
89867	NA	22/03/2004	Existing	Sub-artesian	Steel	NA	206569	7159603	56	299	290.9	235	Precipice Sandstone	Precipice Sandstone	6.97	NA	NA
89895	NA	23/09/2002	Existing	Sub-artesian	PVC	NA	780979	7160433	55	175	175	NA	Birkhead Formation	Eurombah Formation	3.27	NA	NA

Bore registered number	Original bore name	Date drilled	Status	Type of facility	Casing material	Present equipment	Easting (m) MGA94	Northing (m) MGA94	Zone	Total recorded bore depth (m bgl)	Total cased depth (m bgl)	Top of screened / slotted interval in casing (m bgl)	Interpretation of formation into which bore was spudded	Interpretation of aquifer screened by bore	Reported yield (L/s)	Most recent reported standing groundwater level (m bgl)	Date of most recent reported standing groundwater level (m bgl)
89905	HAY GREEN	28/05/2004	Existing	Sub-artesian Artesian bore, controlled flow	PVC	NA	785794	7187948	55	22	22	16	Hutton Sandstone Precipice Sandstone	Hutton Sandstone Precipice Sandstone	2.53	NA	NA
89932	GULLY	30/10/2004	Existing	Artesian bore, condition NA	Steel	NA	792093	7157954	55	612.5	612.5	NA	Sandstone	Sandstone	11.18	NA	NA
89937	NA	30/06/2004	Existing	Artesian bore, controlled flow	NA	NA	781079	7161921	55	NA	NA	NA	Not defined Precipice Sandstone	Not defined Precipice Sandstone	NA	NA	NA
89972	NA	18/04/2008	Existing	Artesian bore, controlled flow	Steel	NA	199335	7170888	56	222.5	222	205	Sandstone	Sandstone	12.62	NA	NA
89991	R C HAY	29/05/2004	Existing	Sub-artesian	PVC	NA	787058	7183349	55	74.5	74.5	44.5	Hutton Sandstone	Hutton Sandstone	1.23	-16.5	29/05/2004
89992	NA	12/07/2005	Existing	Sub-artesian	PVC	NA	786152	7185029	55	27.5	27.5	12.5	Hutton Sandstone	Hutton Sandstone	1.23	NA	NA
128004	NA	25/07/2005	Existing	Sub-artesian	PVC	NA	785380	7175412	55	146	146	106	Hutton Sandstone	Hutton Sandstone	0.78	NA	NA
128008	NA	22/09/2005	Existing	Artesian bore, controlled flow	Steel	No equipment / headworks	797102	7174784	55	283	283.12	NA	Precipice Sandstone	Precipice Sandstone	NA	NA	NA
13030380	B4S4	14/03/1968	Abandoned but still useable	Sub-artesian	Plastic (unspecified)	NA	779842	7160764	55	23.16	22	19	Dawson River Alluvium	Dawson River Alluvium	NA	-20.4	19/03/1987
13030381	B3S3 FARNHAM	14/03/1968	Abandoned but still useable	Sub-artesian	Plastic (unspecified)	NA	779984	7160823	55	23.77	22.6	19.6	Dawson River Alluvium	Dawson River Alluvium	NA	-20.32	19/03/1987
13030796	NO.1 FARNHAM NO.	12/10/1994	Existing	Sub-artesian	Plastic (unspecified)	NA	211629	7179589	56	92	92	71	Sandstone Precipice	Sandstone Precipice	NA	-6.34	15/01/2003
13030797	2 SPRING	14/10/1994	Existing	Sub-artesian	Plastic (unspecified)	NA	211026	7180510	56	109.1	109	97	Sandstone Precipice	Sandstone Precipice	NA	-36.35	15/01/2003
13030798	CREEK NO. 1 SPRING	23/10/1994	Existing	Sub-artesian	Plastic (unspecified)	NA	211373	7181626	56	106.8	106.8	88.8	Sandstone Precipice	Sandstone Precipice	NA	-39.6	21/01/1997
13030799	CREEK NO. 2 SPRING	27/10/1994	Existing	Sub-artesian	Plastic (unspecified)	NA	210302	7182158	56	91	91	53	Sandstone Precipice	Sandstone Precipice	NA	-41.98	15/01/2003
13030800	CREEK NO. 3	30/10/1994	Existing	Sub-artesian	Plastic (unspecified)	NA	208153	7183540	56	127	127	NA	Sandstone	Sandstone	2.5	-48.14	21/01/1997