# 1 VOLUME 1 REFERENCES

1.1 **CHAPTER 1** 

No references

1.2 CHAPTER 2

No references

**1.3 CHAPTER 3** 

No references

1.4 CHAPTER 4

No references

1.5 CHAPTER 5

No references

1.6 CHAPTER 6

No references

- 2 VOLUME 2 REFERENCES
- 2.1 CHAPTER 1

**QUEENSLAND CURTIS LNG** 

2.2 CHAPTER 2

No references

2.3 CHAPTER 3

No references

2.4 CHAPTER 4

No references

2.5 CHAPTER 5

No references

2.6 CHAPTER 6

No references

2.7 CHAPTER 7

No references

2.8 CHAPTER 8

No references

2.9 CHAPTER 9

No references

2.10 CHAPTER 10

### 2.11 CHAPTER 11

No references

2.12 CHAPTER 12

No references

# 2.13 CHAPTER 13

No references

### 2.14 CHAPTER 14

Santos Ltd and PETRONAS (2009), GLNG Project Supplementary Environmental Impact Statement, <u>http://www.glng.com.au/Content.aspx?p=96</u>

Dear SE, Moore NG, Dobos SK, Watling KM and Ahern CR (2002). Soil Management Guidelines. In Queensland Government, Queensland Acid Sulfate Soil Technical Manual (Version 3.8). Department of Natural Resources and Mines, Indooroopilly, Queensland, Australia.

State Planning Policy 2/02 Guideline, Planning and Managing Development involving Acid Sulfate Soils

2.15 CHAPTER 15

No references

2.16 CHAPTER 16

No references

2.17 CHAPTER 17

# 3 VOLUME 3 REFERENCES

3.1 CHAPTER 1

No references

3.2 CHAPTER 2

No references

3.3 CHAPTER 3

No references

3.4 CHAPTER 4

No references

3.5 CHAPTER 5

No references

# 3.6 CHAPTER 6

DERM (2009) Manual for Assessing Hazard Categories and Hydraulic Performance of Dams, Department of Environment and Resources Management, Brisbane

# 3.7 CHAPTER 7

Forster, P.I.F. and Holland, A.E. (2005), Draft Recovery Plan for Cycas megacarpa, Cycas ophiolitica, Macrozamia cranei, Macrozamia lomandroides, Macrozamia pauli-guilielmi, Macrozamia platyrhachis 2006–11, Report to Department of the Environment and Heritage, Environmental Protection Agency, Brisbane

Grey, M.J., Clarke, M.F. and Loyn, R.H. (1997) Initial changes in the avian communities of remnant eucalypt woodlands following a reduction in the

abundance of Noisy Miners, *Manorina melanocephala*. *Wildlife Research* 24: 631-48.

Grey, M.J., Clarke, M.F. and Loyn, R.H. (1998) Influence of the Noisy Miner *Manorina melanocephala* on avian diversity and abundance in remnant Grey Box woodland. *Pacific Conservation Biology* 4: 55-69.

Maron, M. (2009) Nesting, foraging and aggression of Noisy Miners relative to road edges in an extensive Queensland forest *Emu* 109(1) 75–81.

### 3.8 CHAPTER 8

Clayton, P.D., Fielder, D.P., Barratt, P.J. and Hill, C. (2008), Aquatic Conservation Assessments (ACA), using AquaBAMM, for freshwater wetlands of the Condamine River catchment, Published by the Environmental Protection Agency, Brisbane.

Fensham R. and Fairfax R, (2005) Great Artesian Basin Water Resource Plan Ecological Assessment of GAB Springs in Queensland.

### 3.9 CHAPTER 9

CSIRO (2008), *Water Availability in the Condamine-Balonne* – A Report to the Australian Government from the CSIRO Murray-Darling Basin Sustainable Yields Project, CSIRO, Australia

DNR (2000), Draft Water Allocation and Management Plan Condamine-Balonne Basin, Department of National Resources, Brisbane

DNRW (2006), *Interim resource operations licence for Chinchilla Weir water supply scheme*, Queensland Government Department of Natural Resource and Water, Brisbane.

EPA (2006), Aquatic Biodiversity Assessment and Mapping Method AquaBAMM,

http://www.derm.qld.gov.au/services\_resources/item\_details.php?item\_id=201 745&topic\_id=77, Accessed December 2009

Taylor B. & J. Meecham (2003), *Runoff and Flow Co-ordination Framework for the Condamine Floodplains*, Department of Local Government and Planning, Australia

### 3.10 CHAPTER 10

ANZECC & ARMCANZ (2000), *Australian guidelines for water quality monitoring and reporting*, National Water Quality Management Strategy Paper

No 7, Australia and New Zealand Environment and Conservation Council/Agriculture and Resource Management Council of Australia and New Zealand, Canberra

Habermehl MA, Lau JE, (1997), *Hydrogeology of the Great Artesian Basin, Australia (1:2,500,000 scale)*, Australian Geological Survey Organisation

PB (2008), Wandoan Coal Project, Preliminary Groundwater Assessment -Wandoan Joint Venture, Report prepared for the Wandoan Joint Venture, Parsons Brinckerhoff

# 3.11 CHAPTER 11

ANZECC & ARMCANZ (2000), Australian and New Zealand Guide to Fresh and Marine Water Quality Guidelines, National Water Quality Management Strategy Paper No 4, Volume 2, Aquatic ecosystems – rationale and background information, Australian and New Zealand Environment and Conservation Council, Agriculture and Resource Management Council of Australia and New Zealand

NHMRC & NRMMC (2004), *Australian Drinking Water Guidelines*, National Health and Medical Research Council and Natural Resource Management Ministerial Council, Canberra

EPA (2006), *Queensland Water Quality Guidelines*, Environmental Protection Agency, Brisbane

# 3.12 CHAPTER 12

USEPA (2000) AP42, Fifth Edition, Volume 1: "Stationary Internal Combustion Sources", Chapter 3.2 "Natural Gas-fired Reciprocating Engines".

# 3.13 CHAPTER 13

EPA (2000), *Noise Measurement Manual* – 3<sup>rd</sup> Edition, Environmental Protection Agency, Brisbane

EPA (2004), *Ecoaccess Planning for Noise Control Guideline*, Environmental Protection Agency, Brisbane

# 3.14 CHAPTER 14

Austroads (1988) *Guide to traffic Engineering Practice – Part 2: Roadway Capacity* Austroads, Sydney

DMR (2003), *Manual of uniform traffic control devices (MUTCD)*, Queensland Department of Main Roads, Brisbane

DMR (2004), *Road planning and design manual - Chapter 5*, Department of Main Roads, Brisbane

DMR (2006), Guideline for Assessment or Road Impacts of Development (GARID), Queensland Department of Main Roads, Brisbane

### 3.15 CHAPTER 15

No references

### 3.16 CHAPTER 16

WaterWise (2005), *Queensland Water Recycling Guidelines*, Environmental Protection Agency, Brisbane

- 3.17 CHAPTER 17
- 3.18 CHAPTER 18

No references

3.19 CHAPTER 19

No references

# 4 VOLUME 4 REFERENCES

4.1 CHAPTER 1

### 4.2 **CHAPTER 2**

No References

### 4.3 CHAPTER 3

No References

# 4.4 CHAPTER 4

Department of Primary Industries and Department of Housing, Local Government and Planning Queensland (1993), *Planning Guidelines – The Identification of Good Quality Agricultural Land (State Planning Policy 1/92)*, DPI & DHLGP, Brisbane.

### 4.5 CHAPTER 5

Nor references

# 4.6 CHAPTER 6

No references

# 4.7 CHAPTER 7

Forster, P.I.F. and Holland, A.E. (2005) *Draft Recovery Plan for Cycas megacarpa, Cycas ophiolitica, Macrozamia cranei, Macrozamia lomandroides, Macrozamia pauli-guilielmi, Macrozamia platyrhachis 2006–11*, Report to Department of the Environment and Heritage, Canberra, Environmental Protection Agency, Brisbane.

Grey, M.J., Clarke, M.F. and Loyn, R.H. (1997) Initial changes in the avian communities of remnant eucalypt woodlands following a reduction in the abundance of Noisy Miners, *Manorina melanocephala*. *Wildlife Research* 24: 631-48.

Grey, M.J., Clarke, M.F. and Loyn, R.H. (1998) Influence of the Noisy Miner *Manorina melanocephala* on avian diversity and abundance in remnant Grey Box woodland. *Pacific Conservation Biology* 4: 55-69.

Maron, M. (2009) Nesting, foraging and aggression of Noisy Miners relative to road edges in an extensive Queensland forest *Emu* 109(1) 75–81.

### 4.8 CHAPTER 8

Fensham R. and Fairfax R, (2005) *Great Artesian Basin Water Resource Plan Ecological Assessment of GAB Springs in Queensland.* 

Department of Natural Resources and Mines (2005) *Hydrological Framework Report for the Great Artesian Basin Water Resource Plan Area*, unpublished, DNRM, Brisbane.

### 4.9 CHAPTER 9

Australian and New Zealand Environment Conservation Council (ANZECC) (1992), Australian and New Zealand guidelines for fresh and marine water quality

CBWC (1999), Water Quality in the Condamine Balonne catchment; Water quality monitoring and information dissemination project. Final Report. Condamine Balonne Water Committee, Department of Natural Resources

NLWRA (2001), Australian Water Resource Assessment 2000: Extent, impacts, pressures and management options. National Land and Water Resources Audit, Canberra.

QWQG (2009), Queensland Water Quality Guidelines; Department of Environment and Resource Management, Brisbane.

### 4.10 CHAPTER 10

No references

# 4.11 CHAPTER 11

U.S. Environmental Protection Agency (1995), *AP-42: Emissions Factors; Chapter 3.1 Natural Gas-fired Reciprocating Engines,* U.S Environmental Protection Agency, United States.

### 4.12 CHAPTER 12

No references

### 4.13 CHAPTER 13

4.14 CHAPTER 14

No references

4.15 CHAPTER 15

No references

4.16 CHAPTER 16

No references

4.17 CHAPTER 17

No references

4.18 CHAPTER 18

No references

- 5 VOLUME 5 REFERENCES
- 5.1 CHAPTER 1

No references

5.2 **CHAPTER 2** 

No references

5.3 CHAPTER 3

# 5.4 CHAPTER 4

Northcote KH, and Skene JKM (1972), *Australian Soils with Saline and Sodic Properties*, Soil Publication No. 27, CSIRO, Australia.

# 5.5 CHAPTER 5

No references

# 5.6 CHAPTER 6

No references

### 5.7 CHAPTER 7

Grey, M.J., Clarke, M.F. and Loyn, R.H. 1997. Initial changes in the avian communities of remnant eucalypt woodlands following a reduction in the abundance of Noisy Miners, *Manorina melanocephala*. *Wildlife Research* 24: 631-48.

Grey, M.J., Clarke, M.F. and Loyn, R.H. 1998. Influence of the Noisy Miner *Manorina melanocephala* on avian diversity and abundance in remnant Grey Box woodland. *Pacific Conservation Biology* 4: 55-69.

Maron, M. 2009. Nesting, foraging and aggression of Noisy Miners relative to road edges in an extensive Queensland forest *Emu* 109(1) 75–81.

Rohweder Dr D, and Charley D (2009), QGC Queensland Curtis LNG Project, Curtis Island: Supplementary Surveys for Powerful Owl and Mingratory Shorebirds. Unpublished report by Sandpiper Ecological Surveys & Wildsearch Environmental Services, 16 November 2009.

# 5.8 CHAPTER 8

Alquezar, R. (2009). *Maritime Harbor Movements of Port Curtis 2009. A report to BG-LNG*, ntre for Environmental Management, CQ niversity Australia, Gladstone, Queensland.

Anthony, KRN (2000). Enhanced particle-feeding capacity of corals on turbid reefs (Great Barrier Reef, Australia). Coral Reefs 19, 59-67.

Anthony, KRN & Larcombe, P 2002. Coral reefs in turbid waters: sedimentinduced stresses in corals and likely mechanisms of adaptation. pp. 239-244. In: Proceedings of the 9th International Coral Reef Symposium, Bali. Ed. Kasim Moosa. Bali, Indonesia.

Anthony, KRN and Fabricius, K. 2000. Shifting roles of heterotrophy. Journal of Experimental Marine Biology and Ecology 252, 221-253.

Australian and New Zealand guidelines for fresh and marine water quality. Volume 1, The guidelines, October 2000. Australian and New Zealand Environment and Conservation Council, Agriculture and Resource Management Council of Australia and New Zealand.

Babcock, R and Davies, P (1991). *Effects of sedimentation on settlement of Acropora millepora. Coral Reefs.* 9, 205-208;

Babcock, R dan Davies, P (1991). *Effects of sedimentation on settlement of Acropora millepora. Coral Reefs.* 9, 205-208:

Bartol, S.M., Musick, J.A. and Lenhardt, M.L. 1999. *Auditory evoked potentials of the loggerhead sea turtle (Caretta caretta).* Copeia 3: 836–840.

Bartol, S.M. 2006. *Turtle and Tuna Hearing,* Woods Hole Oceanographic Institute, NOAA Technical Memorandum NMFS PIFSC 7, MA, USA;

Beasley I, Robertson KM. and Arnold P (2005). *Description of a new dolphin, the Australian Snubfin Dolphin Orcaella heinsohni sp. n. (Cetacea, Delphinidae)*. Marine Mammal Science No.21 pp.365-400

Bergert, B. and. Wainwright WC. (1997). *Morphology and kinematics of prey capture in the syngnathid fishes Hippocampus erectus and Syngnathus floridae. Mar. Biol.* 127: 563–570;

Colson, D., Sheila P., Brainerd E. and Lewis S. (1998). Sound production during feeding in Hippocampus seahorses (Syngnathidae). Environmental Biology of Fishes, 51: 221-229.

BMT WBM (2009), Baseline Sediment Data Provision and Interpretation Port Curtis.

BMT WBM (2009), Proposed QCLNG Project EIS – Marine Water Quality Assessments.

BMT WBM Pty Ltd (2009), *QCLNG Supplementary EIS, Hydrodynamics and Coastal Processes.* Unpublished Report

BMT WBM (2009), Port of Gladstone Offshore Dredged Material Placement Area Habitat Assessment Draft Report R.B17675.005.00.Offshore.doc

Cabaço S, Santos R, Duarte CM (2008) *The impact of sediment burial and erosion on seagrasses: A review,* Estuarine, Coastal and Shelf Science, 79: 354-366.

Cagnazzi DB, Harrison PL & Ross GJB (2009) *Abundance and site fidelity of Indo-Pacific Humpback dolphins in the Great Sandy Strait, Queensland, Australia.* Marine Mammal Science unpublished report.

Colson, D., Sheila P., Brainerd E. and Lewis S. (1998). Sound production during feeding in Hippocampus seahorses (Syngnathidae). Environmental Biology of Fishes, 51: 221-229

Corkeron PJ, . Morissette NM, . Porter LJ, and Marsh H. 1997. *Distribution and status of hump-backed dolphins, Sousa chinensis, in Australian waters.* Asian Marine Biology 14: 49-59;

Cribb, A. B. (1996) Seaweeds of Queensland: a naturalist's guide.' (The Queensland Naturalists' Club: Brisbane);

Gilmour, J (1999). Experimental investigation into the effects of suspended sediment on fertilisation, larval survival and settlement in Scleractinian coral. Marine Biology 135, 451-462.

Darwin. CR. (1859) On the Origin of Species by Means of Natural Selection. John Murray, London

Department of Environment and Heritage (2006), *Matters of National Environmental Significance May 2006*, accessed 2009 http://www.environment.gov.au/epbc/publications/pubs/nes-guidelines.pdf

DEWHA (2008). EPBC Act Policy Statement- Interaction between offshore seismic exploration and whales.

http://www.environment.gov.au/epbc/publications/pubs/seismic-whales.pdf accessed December 2009.

Duarte CM, Terrados J, Agawin NSR, Bach S, Kenworthy WJ (1997) *Response of a mixed Philippine seagrass meadow to experimental burial.* Marine Ecology Progress Series, 147:285–294

Eckert S., Levenson D.H. and Crognale M.A. (2006). *The sensory biology of sea turtles:what can they see, and how can this help them avoid fishing gear?*.pp in Swimmer Y. and Brill R. (eds) Sea Turtle and Pelagic Fish Sensory Biology: Developing Techniques to Reduce Sea Turtle Bycatch in Longline Fisheries

Erftemeijer PLA, Lewis RRR (2006), *Environmental impacts of dredging on seagrasses: a review.* Marine Pollution Bulletin, 52:1553–1572

Fabricius, KE (2005). *Effects of terrestrial runoff on the ecology of corals and coral reefs: review and synthesis*. Marine Pollution Bulletin 50, 125-146.

Frère CH. Hale PT, Porter ., Cockcroft VG and Dalebout ML. 2008. *Phylogenetic analysis of mtDNA sequences suggests of humpback dolphin (Sousa spp.) taxonomy is needed*, Marine and Freshwater Research, 59: 259–268.

Gerstein ER, Gerstein L, Forsythe SE and Blue JE (1999). *The underwater audiogram of the manatee (Trichechus manatus),* Journal of the Acoustical Society of America 150(6): 3575-3583.

Gilmour, J (1999). *Experimental investigation into the effects of suspended sediment on fertilisation, larval survival and settlement in Scleractinian coral.* Marine Biology 135, 451-462.

GLNG Project, Supplementary EIS. December 2009

GPC Western Basin Dredging Project Draft EIS.

Huisman, J. M. (2000) *Marine Plants of Australia, (*University of Western Australia Press: Perth).

Hodgson, D (1990). *Tetracycline reduces sedimentation damage to corals*. Marine Biology 104, 493-496.

Hodgson AJ and Marsh H (2007). *Response of dugongs to boat traffic: The risk of disturbance and displacement*, Journal of Experimental Marine Biology and Ecology 340 (1): 50–61.

Jefferson, T. A. and Karczmarski, L. (2001) *Sousa chinensis*. Mammalian Species Vol. 655 pp 1-9

Jefferson, T. A. and Karczmarski, L. 2001. Sousa chinensis. Mammal Species 655: 1-9.; Parra, G J. 2005. Behavioural ecology of Irrawaddy, Orcaella brevirostris (Owen in Gray, 1866), and Indo-Pacific humpback dolphins, Sousa chinensis (Osbeck, 1765), in northeast Queensland, Australia: a comparative study. Ph.D. thesis, School of Tropical Environment Studies and Geography, James Cook Univ., Townsville;

Keevin, T.M. and Hempen, G.L. (1997), *The environmental effects of underwater explosions with methods to mitigate impacts*. US Army Corps of Engineers, St. Louis District.

Kendall Be & Fox G. 2003. *Unstructured Individual Variation and Demographic Stochasticity.* Conservation Biology vol. 17 no. 4 pp.1170–1172

Ketten, D.R. and Bartol, S.M. 2005. *Functional Measures of Sea Turtle Hearing. Woods Hole Oceanographic Institute*, MA, USA

Masini, R., C. Sim and K. McAlpine, 2008, *Environmental Impact Assessment of Large-scale Dredging Projects*, Powerpoint presentation, IAIA08, Perth, WA.

Lenhardt, M.L., Bellmund, S., Byles, R.A., Harkins, S.W. and Musick, J.A. (983). *Marine Turtle reception of bone conducted sound*. Journal of Auditory Research 23: 119–1125.

Longstaff BJ, Dennison WC (1999) Seagrass survival during pulsed turbidity events: the effects of light deprivation on the seagrasses Halodule pinifolia and Halophila ovalis. Aquatic Botany, 65:105-121.

Maritime Safety Queensland (2004), *The official tide tables and boating safety guide*. Queensland Government

Marsh H and Lawler I R (206) *Dugong distribution and abundance on the urban coast of Queensland: a basis for management.* Marine and Tropical Science Research Facility Interim Projects 2005-06 FINAL Report Project 2.

McCauley, R.D., Fewtrell, J., Duncan, A.J., Jenner, C., Jenner, M-N., Penrose, J.D., Prince, R.I.T., Adhitya, A., Murdoch, J. and McCabe, K. (2000), *Marine Seismic Surveys – A Study of Environmental Implications*. Australian Petroleum Production and Exploration Association Journal 2000: 692–708.

Mills KE, Fonseca MS (2003) *Mortality and productivity of eelgrass Zostera marina under conditions of experimental burial with two sediment types.* Marine Ecology Progress Series 255:127-134.

Moore KA, Wetzel RL, Orth RJ (1997) Seasonal pulses of turbidity and their relations to eelgrass (Zostera marinaL.) survival in an estuary. Journal of Experimental Marine Biology and Ecology, 215: 115-134;

Onuf CP (1994) Seagrasses, Dredging and Light in Laguna Madre, Texas, U.S.A. Estuarine, Coastal and Self Science, 39:75-91.

Parra GJ, Corkeron PJ & Marsh H (2004). *The Indo-Pacific Humpback Dolphin, Sousa chinensis (Osbeck, 1765), in Australian Waters: A Summary of Current Knowledge.* Aquatic Mammals, No. 30 vol. 1 pp.197-206

Parra, G J. (2005) Behavioural ecology of Irrawaddy, Orcaella brevirostris (Owen in Gray, 1866), and Indo-Pacific humpback dolphins, Sousa chinensis (Osbeck, 1765), in northeast Queensland, Australia: a comparative study. Ph.D. thesis, School of Tropical Environment Studies and Geography, James Cook University, Townsville

Parra GJ, Corkeron PJ & Marsh H (2006) *Population sizes, site fidelity and residence patterns of Australian snubfin and Indo-Pacific humpback dolphins: Implications for conservation.* Biological Conservation, Vol.129 pp.167–180

Parra, G. J. and Jedensjö, M (2009) *Feeding habits of Australian Snubfin* (*Orcaella heinsohni*) and Indo-Pacific humpback dolphins (Sousa chinensis). Project Report to the Great Barrier Reef Marine Park Authority, Townvsille and Reef & Rainforest Research Centre Limited, Cairns (22pp)

Patton GW, Gerstein ER, Domming DP, Sutherland M and Perinetti R (1992) An Annotated Bibliography of Sirenian Hearing, Mote Marine Laboratory Report No. 272.

https://dspace.mote.org:8443/dspace/bitstream/2075/51/1/272.pdf, accessed December 2009

Queensland Department of Primary Industries and Fisheries (QPIF)

Ralph PJ, Durako MJ, Enríquez S, Collier CJ, Doblin MA (2007), *Impact of light limitation on seagrasses,* Journal of Experimental Marine Biology and Ecology. 350: 176–193.

Rasheed MA (1999) *Recovery of experimentally created gaps within a tropical Zostera capricorni (Aschers.) seagrass meadow, Queensland Australia.* Journal of Experimental Marine Biology and Ecology, 235 (1999) 183–200

Rasheed M A, McKenna S A, Taylor H A and Sankey T L (2008) *Long term* seagrass monitoring in Port Curtis and Rodds Bay, Gladstone – October 2007. DPI&F Publication PRO7-3271 (DPI&F, Cairns), 32 pp.

Rasheed, M.A., Thomas, R., Roelofs, A.J. Neil, K.M. and Kerville, S.P. (2003). Port Curtis and Rodds Bay seagrass and benthic macro-invertebrate community baseline survey, November/December 2002. DPI Information Series QI03058 (DPI, Cairns), 47 pp.

Ripley JL. and Foran CM. (2006). *Differential parental nutrient allocation in two congeneric pipefish species (Syngnathidae: Syngnathus spp.)* J. Exp. Biol; 209(6): 1112 - 1121.

Rogers, CS (1983). Sublethal and lethal effects of sediments applied to common Caribbean reef corals in the field. Marine Pollution Bulletin 14, 378-382;

Ross GB (2006) *Review of the Conservation Status of Australia's maller Whales and Dolphins.* 

Sanders, D and Baron-Szabo, R (2005). *Scleractinian communities under sediment input: their characteristics and relation to the nutrient input concept.* Palaeo 216: 139-181.

Schultz, K.W. and Corkeron, P.J. (1994). *Interspecific differences in whistles produced by inshore dolphins in Moreton Bay, Queensland, Australia.* Canadian Journal of Zoology 72: 1061-1068, cited in Ross GB (2006) Review of the Conservation Status of Australia'smaller Whales and Dolphins

SKM, (2008), *Pluto LNG Development: Dredging and spoil disposal management plan / Dredge Impact Management Plan,* as approved by Department of Environment and Conservation (DEC) 16 November 2007.

Southall BL, Bowles AE, Ellison WT, Finneran JT, Gentry RL, Greene Jr CR, Kastak D, Ketten DR, Miller JH, Nachtigall PE, Richardson WJ, Thomas JA and Tyack PL. (2007). *Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations*, Aquatic Mammals, Volume 33, Number 4, 2007, ISSN 0167-5427.

Southall et al (2007) *Criteria for Behavioural Disturbance.* Aquatic Mammals, Vol. 33, No. 4 pp 443-476.

Stafford-Smith, MG (1992). *Mortality of the hard coral Leptoria phrygia under persistent sediment influx. Proceedings of the Seventh International Coral Reef Symposium, Guam.* 1: pp. 289-299:

Stoddart, JA, Blakeway, DR, Grey, KA and Stoddart, SE (2005). *Rapid high-precision monitoring of coral communities to support reactive management of dredging in Mermaid Sound, Dampier, Western Australia.* In: Corals of the Dampier Harbour: Their Survival and Reproduction During the Dredging Programs of 2004. Soddart, JA & Stoddart, SE (Eds.). Published by Mscience.

Tamaki H, Tokuoka M, Nishijima W, Terawaki T, Okada M (2002) *Deterioration of eelgrass, Zostera marina L., meadows by water pollution in Seto Inland Sea, Japan.* Marine Pollution Bulletin 44:1253-1258.

Thomas, S and Ridd, P (2005). *Field assessment of innovative sensor for monitoring of sediment accumulation at inshore coral reefs*. Marine Pollution Bulletin 51, 470–480.

Underwood, AJ (1991). Beyond BACI: Experimental designs for detecting human environmental impacts on temporal variations in natural populations. Australian Journal of Marine and Freshwater Research 42, 569–587.

URS LeProvost Dames and Moore, in association with WBM Oceanics Australia (2001) Port of Weipa, Long Term Dredge Material Management Plan, Report on Phase Three (Stage 2) Monitoring Program, URS, Brisbane.

Van Parijs, S. and Corkeron, P.J. (2001). Boat traffic affects the acoustic behaviour of Pacific Humpbacked dolphins Sousa chinensis. Journal of the Marine Biological Association of the United Kingdom 81: 533-538, cited in Weigle, B.L., Wright, I.E. & Huff, J.A. 1994, 'Responses of manatees to an approaching boat: a pilot study', in Proceedings of the First International Manatee and Dugong Research Conference, held at Gainesville Florida, 11–13 Marsh 1994 cited in Preen T. Dugongs, Boats, Dolphins and Turtles in the Townsville-Cardwell Region and Recommendations for a Boat Traffic Management Plan for the Hinchinbrook Dugong Protection Area, Report to the Great Barrier Reef Marine Park Authority, http://www.gbrmpa.gov.au/ data/assets/pdf\_file/0004/2938/preen.pdf accessed December 2009.

Westphalen G, Collings G, Wear R, Fernandes M, Bryars S, Cheshire A (2004) A review of seagrass loss on the Adelaide metropolitan coastline. ACWS Technical Report No. 2 prepared for the Adelaide Coastal Waters Study Steering Committee. South Australian Research and Development Institute (Aquatic Sciences), Publication No. RD04/0073, Adelaide.

Wilber DH, Brostoff W, Clarke DG, Ray GL (2005) Sedimentation: Potential Biological Effects of Dredging Operations in Estuarine and Marine Environments. Engineering Research and Development Centre, Vicksburg MS, Technical note.

Winders, Barlow & Morrison, (1989), *Impact Assessment Study of Proposed reclamation of Land West of the Calliope River.* 

Wittenburg, M and Hunte, W (1992). *Effects of eutrophication and sedimentation on juvenile corals. I. Abundance, mortality and community structure.* Marine Biology 116, 131-138.

Würsig, B., Greene, C.R. and Jefferson, T.A. (2000) *Development of an Air Bubble Curtain to Reduce Underwater Noise of Percussive Piling*. Marine Environ. Res., 49, 79–93

Young, G.A. (1991), *Concise methods for predicting the effects of underwater explosions on marine life*. NAVSWC No. 91-22. Naval Surface Warfare Centre, Silverspring, Maryland, USA. Cited in Keevin and Hempen (1997).

# 5.9 CHAPTER 9

No references

# 5.10 CHAPTER 10

No references

# 5.11 CHAPTER 11

BMT WBM (2009). QCLNG Supplementary EIS – Hydrodynamics and Coastal Processes Report. Unpublished Report, R.B17671.001.01.doc

# 5.12 CHAPTER 12

No references.

# 5.13 CHAPTER 13

Australian Standard 1055.2 - 1997 Acoustics – Description and measurement of environmental noise Part 2: Application to specific situations.

Environmental Resources Management (2009) Queensland Curtis LNG Project: LNG Facility and Associated Infrastructure *Noise & Vibration Impact Assessment- Supplemental Report*, November 2009 Heggies Australia (2009) Santos Gladstone LNG - Environmental Impact Statement – Noise and Vibration (Terrestrial)

Queensland Department of Main Roads (2008) Road Traffic Noise Management – Code of Practice

Santos (2009) Gladstone LNG Environmental Impact Statement

# 5.14 CHAPTER 14

Halcrow MWT (2009) *Queensland Curtis LNG Project - Supplementary EIS Traffic and Transport Impact Assessment.* January 2010, Unpublished report for QGC, Final.

# 5.15 CHAPTER 15

No references

### 5.16 CHAPTER 16

Environmental Resources Management (2010), *Queensland Curtis LNG Project: LNG Facility and Associated Infrastructure, Supplementary Landscape and Visual Impact Assessment.* 

# 5.17 CHAPTER 17

No references.

# 5.18 CHAPTER 18

Lloyd's Register, 2009. *LNG Carrier Loading & LPG Carrier Unloading Safety: Quantitative Risk Assessment of LNG/LPG Carriers at Berth at Gladstone Port* . unpublished report for BG LNG Services, Report # HOU/MCS/Q09-002 Rev. 6, October 2009

Quest Consultants Inc 2009. *Preliminary Quantitative Risk Analysis for the BG Queensland Curtis LNG Liquefaction Facility*. Revision E, November 17, 2009

DES (2002), Queensland Department of Emergency Services, Chemical Hazards and Emergency Management Services unit. http://www.emergency.qld.gov.au/chem/publications/pdf/Interim\_Risk\_Objectiv es\_for\_MHFs.pdf

#### 5.19 CHAPTER 19

No references

### 5.20 CHAPTER 20

No references

### 6 VOLUME 6 REFERENCES

Asia Pacific ASA Pty Ltd (2009), *QCLNG Pipeline Burial Sediment Plume Modelling*, unpublished report prepared for British Gas.

Asia Pacific ASA Pty Ltd (2010), QCLNG *Early Works Dredge Plume Modelling,* unpublished report prepared for British Gas.

BMT WBM Pty Ltd (2009), *QCLNG Supplementary EIS, Hydrodynamics and Coastal Processes.* Unpublished Report

Chartrand, K and M Rasheed, (2009), *Light requirements for Gladstone seagrass species: Initial literature derived values for model input*, unpublished. report to QGC by Marine Ecology Group, Fisheries Queensland, Department of Employment, Economic Development and Innovation.

GeoCoastal Australia Pty Ltd, (2009), QCLNG Pipeline Route, Gladstone Harbour, Queensland. Preliminary Acid Sulfate Soil and Geomorphological Modelling Survey.

# 7 VOLUME 7 REFERENCES

Australian Government (2008) National Greenhouse and Energy Reporting (Measurement) Determination

AustralianGreenhouseEmissionsInformationSystem<a href="http://www.ageis.greenhouse.gov.au/">http://www.ageis.greenhouse.gov.au/</a>Reporting year 2007, Kyoto framework,

ESAA Acil Tasman (2008) The Impact of an ETS on the Energy Supply Industry

http://www.esaa.com.au/images/stories/Report/20080723esaaatreport.pdf

International Energy Agency, October 2009. *How the energy sector can deliver on the climate change agreement in Copenhagen?* 

# 8 VOLUME 8 REFERENCES

8.1 CHAPTER 1

No references

8.2 CHAPTER 2

No references

8.3 CHAPTER 3

No references

# 8.4 CHAPTER 4

Western Downs Regional Council Annual Report 2008-2009 (Post-Changeover Period) www.wdrc.qld.gov.au/council/documents/Annual%20Report/PRINT%20VERSI ON%20Adopted%20WDRC%2008%2009%20Annual%20Report.pdf, Accessed 7 December, 2009

# 8.5 CHAPTER 5

No references

# 8.6 CHAPTER 6

No references

# 8.7 CHAPTER 7

**QUEENSLAND CURTIS LNG** 

### 8.8 CHAPTER 8

No references

8.9 CHAPTER 9

No references

### 9 VOLUME 9 REFERENCES

No references

# 10 VOLUME 10 REFERENCES

No references

# 11 VOLUME 11 REFERENCES

No references

### 12 VOLUME 12 REFERENCES

No references

# 13 VOLUME 13 REFERENCES

Alquezar, R (2009) *Maritime Harbour Movements of Port Curtis 2009: A report to BG-LNG*, Centre for Environmental Management, CQ University, Gladstone, Australia

Bartol, S.M., Musick, J.A. and Lenhardt, M.L. (1999), *Auditory evoked potentials of the loggerhead sea turtle (Caretta caretta),* Copeia 3: 836–840

Bartol, S.M. (2006) *Turtle and Tuna Hearing*, Woods Hole Oceanographic Institute, NOAA Technical Memorandum NMFS PIFSC 7, MA, USA;

Beasley I, Robertson KM. and Arnold P. (2005) *Description of a new dolphin, the Australian Snubfin Dolphin Orcaella heinsohni sp. n. (Cetacea, Delphinidae)*, Marine Mammal Science 21: 365-400

Bergert, B. and. Wainwright WC. (1997) *Morphology and kinematics of prey capture in the syngnathid fishes Hippocampus erectus and Syngnathus floridae*, Marine Biology 127: 563–570

Cagnazzi DB, Harrison PL and Ross GJB. (2009), *Abundance and site fidelity of Indo-Pacific Humpback dolphins in the Great Sandy Strait, Queensland, Australia*, Marine Mammal Science unpublished.

Colson, D., Sheila P., Brainerd E. and Lewis S. (1998), *Sound production during feeding in Hippocampus seahorses (Syngnathidae),* Environmental Biology of Fishes, 51: 221-229

Corkeron PJ,. Morissette NM,. Porter LJ, and Marsh H. (1997), *Distribution and status of hump-backed dolphins, Sousa chinensis, in Australian waters*, Asian Marine Biology 14: 49-59;

DEWHA (2007) Draft Policy Statement Use of environmental offsets under the Environment Protection and Biodiversity Conservation Act, 1999, Department of the Environment, Water, Heritage and the Arts, Canberra

DEWHA (2008), EPBC Act Policy Statement- Interaction between offshore seismic exploration and whales. http://www.environment.gov.au/epbc/publications/pubs/seismic-whales.pdf accessed December 2009

DEWHA (2009) Dugong Fact Sheet <u>http://www.environment.gov.au/cgi-bin/sprat/public/publicspecies.pl?showprofile=Y&taxon\_id=28</u> accessed December 2009

Eckert S., Levenson D.H. and Crognale M.A. (2006) *The sensory biology of sea turtles:what can they see, and how can this help them avoid fishing gear?*.pp in Swimmer Y. and Brill R. (eds) Sea Turtle and Pelagic Fish Sensory Biology: Developing Techniques to Reduce Sea Turtle Bycatch in Longline Fisheries

Erftemeijer PLA, Lewis RRR (2006), *Environmental impacts of dredging on seagrasses: a review*, Marine Pollution Bulletin, 52:1553–1572

Frère CH. Hale PT, Porter., Cockcroft VG and Dalebout ML. (2008), *Phylogenetic analysis of mtDNA sequences suggests of humpback dolphin (Sousa spp.) taxonomy is needed,* Marine and Freshwater Research, 59: 259–268

Gerstein ER, Gerstein L, Forsythe SE and Blue JE (1999), *The underwater audiogram of the manatee (Trichechus manatus)*, Journal of the Acoustical Society of America 150(6): 3575-3583

Gladstone Port Corporation, Western Basin Dredging Project Draft EIS (2009), GPC, Gladstone, Australia

Hodgeon AJ and Marsh H (2007), *Response of dugongs to boat traffic: The risk of disturbance and displacement*, Journal of Experimental Marine Biology and Ecology 340 (1): 50–61.

Jefferson, T. A. and Karczmarski, L. (2001) *Sousa chinensis*, Mammal Species 655: 1-9

Keevin, T.M. and Hempen, G.L. (1997) *The environmental effects of underwater explosions with methods to mitigate impacts*, US Army Corps of Engineers, St. Louis District.

Ketten, D.R. and Bartol, S.M. (2005), *Functional Measures of Sea Turtle Hearing*, Woods Hole Oceanographic Institute, MA, USA

Lenhardt, M.L., Bellmund, S., Byles, R.A., Harkins, S.W. and Musick, J.A. (1983), *Marine Turtle reception of bone conducted sound*, Journal of Auditory Research 23: 119–1125

Longstaff BJ, Dennison WC (1999) Seagrass survival during pulsed turbidity events: the effects of light deprivation on the seagrasses *Halodule pinifolia* and *Halophila ovalis*. Aquatic Botany, 65:105-121

Marsh (1994), cited in Preen T. Dugongs, Boats, Dolphins and Turtles in the Townsville-Cardwell Region and Recommendations for a Boat Traffic Management Plan for the Hinchinbrook Dugong Protection Area, Report to the Great Barrier Reef Marine Park Authority, <u>http://www.gbrmpa.gov.au/ data/assets/pdf file/0004/2938/preen.pdf</u> accessed December 2009.

Marsh H and Lawler I R (2006) *Dugong distribution and abundance on the urban coast of Queensland: a basis for management.* Marine and Tropical Science Research Facility Interim Projects 2005-06 FINAL Report Project 2.

McCauley, R.D., Fewtrell, J., Duncan, A.J., Jenner, C., Jenner, M-N., Penrose, J.D., Prince, R.I.T., Adhitya, A., Murdoch, J. and McCabe, K. (2000), *Marine Seismic Surveys – A Study of Environmental Implications*, Australian Petroleum Production and Exploration Association Journal, 2000: 692–708

Moore KA, Wetzel RL, Orth RJ (1997), Seasonal pulses of turbidity and their relations to eelgrass (Zostera marinaL.) survival in an estuary, Journal of Experimental Marine Biology and Ecology, 215: 115-134

Onuf CP (1994), Seagrasses, Dredging and Light in Laguna Madre, Texas, U.S.A., Estuarine, Coastal and Self Science, 39:75-91

Parra, G J. (2005), *Behavioural ecology of Irrawaddy, Orcaella brevirostris* (Owen in Gray, 1866), and Indo-Pacific humpback dolphins, Sousa chinensis (Osbeck, 1765), in northeast Queensland, Australia: a comparative study.

Ph.D. thesis, School of Tropical Environment Studies and Geography, James Cook University, Townsville

Parra GJ, Corkeron PJ and Marsh H. (2006), *Population sizes, site fidelity and residence patterns of Australian snubfin and Indo-Pacific humpback dolphins: Implications for conservation,*. Biological Conservation, 129, 167–180

Parra, G. J. and Jedensjö, M. (2009), *Feeding habits of Australian Snubfin (Orcaella heinsohni) and Indo-Pacific humpback dolphins (Sousa chinensis)*, Project Report to the Great Barrier Reef Marine Park Authority, Townvsille and Reef & Rainforest Research Centre Limited, Cairns (22pp.)

Patton GW, Gerstein ER, Domming DP, Sutherland M and Perinetti R (1992), An Annotated Bibliography of Sirenian Hearing, Mote Marine Labotatory Report No. 272. <u>https://dspace.mote.org:8443/dspace/bitstream/2075/51/1/272.pdf</u>, accessed December 2009

Queensland Department of Primary Industries and Fisheries Seagrass Distribution, 2002, Updated 2003

Ralph PJ, Durako MJ, Enríquez S, Collier CJ, Doblin MA (2007) Impact of light limitation on seagrasses. Journal of Experimental Marine Biology and Ecology. 350: 176–193

Rasheed MA (1999), *Recovery of experimentally created gaps within a tropical Zostera capricorni (Aschers.) seagrass meadow, Queensland Australia,* Journal of Experimental Marine Biology and Ecology, 235 (1999) 183–200

Rasheed M A, McKenna S A, Taylor H A and Sankey T L (2008), *Long term* seagrass monitoring in Port Curtis and Rodds Bay, Gladstone – October 2007. DPI&F Publication PRO7-3271 (DPI&F, Cairns), 32 pp

Ripley JL. and Foran CM. (2006). *Differential parental nutrient allocation in two congeneric pipefish species (Syngnathidae: Syngnathus spp.)* Journal of Experimental Biology, 209(6): 1112 - 1121

Ross GB (2006), *Review of the Conservation Status of Australia's smaller Whales and Dolphins,* Report for Dept of the Environment and Water Resources, Canberra

Schultz, K.W. and Corkeron, P.J. (1994), *Interspecific differences in whistles produced by inshore dolphins in Moreton Bay, Queensland, Australia,* Canadian Journal of Zoology 72: 1061-1068, cited in Ross GB (2006) Review of the Conservation Status of Australia'smaller Whales and Dolphins

Southall BL, Bowles AE, Ellison WT, Finneran JT, Gentry RL, Greene Jr CR, Kastak D, Ketten DR, Miller JH, Nachtigall PE, Richardson WJ, Thomas JA and Tyack PL. (2007), *Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations*, Aquatic Mammals, Volume 33, Number 4, 2007, ISSN 0167-5427

URS, LeProvost Dames and Moore, in association with WBM Oceanics Australia (2001), *Port of Weipa, Long Term Dredge Material Management Plan, Report on Phase Three (Stage 2) Monitoring Program,* URS, Brisbane.

Van Parijs, S. and Corkeron, P.J. (2001), *Boat traffic affects the acoustic behaviour of Pacific Humpbacked dolphins Sousa chinensis*, Journal of the Marine Biological Association of the United Kingdom 81: 533-538, cited in Ross GB (2006) Review of the Conservation Status of Australia' smaller Whales and Dolphins

Weigle, B.L., Wright, I.E. & Huff, J.A. (1994), *Responses of manatees to an approaching boat: a pilot study*, in Proceedings of the First International Manatee and Dugong Research Conference, held at Gainesville Florida, 11–13

Würsig, B., Greene, C.R. and Jefferson, T.A. (2000), *Development of an Air Bubble Curtain to Reduce Underwater Noise of Percussive Piling*, Marine Environ. Res., 49, 79–93

Young, G.A. (1991), *Concise methods for predicting the effects of underwater explosions on marine life. NAVSWC No. 91-22*, Naval Surface Warfare Centre, Silverspring, Maryland, USA, Cited in Keevin and Hempen (1997)